





V-notch



Ball Bearing



Undermount



TEK-TEN

Bracket***SOLUTIONS***
for face frame cabinetry

Bracket Solutions for Face Frame Cabinetry

Have you ever wished you had a better rear bracket for your slide that offers automatic side-to-side adjustment and consistent installation? Or that you could use all different types of slides with one drill pattern? Offer your customers a GOOD – BETTER – BEST drawer slide solution?

Welcome to the newly expanded Tenn-Tex Plastics Drawer Slide Bracket Program. We offer solutions for most types of drawer slides and cabinet constructions and all popular drill patterns. Regardless of your specific situation, you will find a bracket for your needs. Follow the BRACKET SELECTION GUIDE and order the appropriate bracket assembly. Should you need samples for trial production and/or testing, or have technical questions, please call us anytime. Our knowledgeable sales staff will be happy to assist you.

The TENN-TEX PLASTICS advantage:

- ★ Brackets for Sidemount, Ball Bearing or Undermount slides
- ★ Consistent cabinet back drill pattern
- ★ Combinations for most brands of slides
- ★ Solutions for Peninsula, Inset and Overlay applications
- ★ Screw-on or doweled versions
- ★ Technical support from an experienced sales staff
- ★ Short Lead Times
- ★ Tested to meet and exceed KCMA and ANSI/BHMA standards
- ★ Packaging suitable for OEM's and Distributors
- ★ MADE IN USA

Products in this brochure are Patented or Patent Pending

*Tenn-Tex Plastics, Inc. strongly recommends a trial mounting before starting a production run.
Do not exceed the min/max bracket space.*


Bracket Selection Guide

Selecting the Correct Bracket for My Application

1 Choose your mounting options

Each page features brackets with a backplate that is engineered to attach to your cabinet using one of the most popular drilling patterns or other methods.

Typical header:




There are also pages for **Peninsula** installation and **Screw-on** backplates.

The brackets work best with specific slides

2 Choose your slide type

Each page is divided into categories of slides for you to choose from.

Undermount		Bracket Space:	
BL, GR		40 mm min	44 mm max
		C-235	Left 400
		C-235-01	Right 400
		C-235-02	Left 100
		C-235-03	Right 100

3 Calculate your Bracket Space

Bracket Space is the distance between the back of the slide (as installed) and the back panel of the cabinet. Choose a bracket with a min and max that accommodates your Bracket Space.



$$A - B - C = D$$

- A (inside cabinet depth)
- B (slide set back)
- C (nominal slide length)*
- D (min. & max. bracket space)


4 Choose your packaging

Choose from the available part numbers, based on the box quantity of your order.

Remember to get both Left and Right handed parts. If no Left and Right are listed, the parts are symmetrical




*A list of common slide lengths can be found on page 27.



Screw-on


□ □ 1 1/2 mm
□ □ 6 1/2 mm



C-274

Backplate thickness □ 3 mm


Undermount

 C-234	Bracket Space: 40 mm min 44 mm max C-276400 C-276-02100	 C-238	Bracket Space: 46 mm min 50 mm max C-277400 C-277-02100	 C-315	Bracket Space: 31 mm min 35 mm max C-317400 C-317-02100
 C-312	Bracket Space: 45 mm min 49 mm max C-331400 C-331-02100	SAL  C-332	Bracket Space: 49 mm min 53 mm max C-379400 C-379-02100	 C-458	Bracket Space: 54 mm min 58 mm max C-466400
 HAR-605/HAR-606	GR EL, GR DYN Bracket Space: 6 mm min 76 mm max □ Overlaid Bracket Sold as B-426 (L & R Brackets □ Screws C-687Left50 C-687-01Right50				

Inset Undermount

	Bracket Space: 11 mm min 39 mm max C-280400 C-280-02100		Bracket Space: 26 mm min 39 mm max C-355400		Bracket Space: 11 mm min 39 mm max C-361400 C-361-02100
C-279		C-344		C-346	

	Edge	Bracket Space: 11 mm min 39 mm max C-782400
	C-780	






Screw-on


C-274

□ □ 13 mm
□ □ 63 mm

Backplate thickness □ 3 mm



Ball Bearing				□ □ e Recommend Fastening Slide to Metal Bracket with Pan Head Screw □				
 HET-5632, Pro 100, Bee <i>HAR-600</i>	Bracket Space: 23 mm min 55 mm max		 KV 8400 <i>HAR-601</i>	Bracket Space: 23 mm min 55 mm max		 HGH, Com <i>HAR-602</i>	Bracket Space: 23 mm min 55 mm max	
	C-603	Left 50		C-625	Left 50		C-628	Left 50
	C-603-01	Right 50		C-625-01	Right 50		C-628-01	Right 50
 F5000, KV TT <i>HAR-603</i>	Bracket Space: 23 mm min 55 mm max		 F5043 <i>HAR-604</i>	Bracket Space: 23 mm min 55 mm max		 ACC, Com <i>HAR-607</i>	Bracket Space: 23 mm min 55 mm max	
	C-642	Left 50		C-678	Left 50		C-770	Left 50
	C-642-01	Right 50		C-678-01	Right 50		C-770-01	Right 50
Sidemount								
 GR 6603 <i>C-650</i>	Bracket Space: 6 mm min 28 mm max		 SAL <i>C-384</i>	Bracket Space: 6 mm min 28 mm max				
	C-651	Left 400		C-665	Left 400			
	C-651-01	Right 400		C-665-01	Right 400			
	C-651-02	Left 100						
	C-651-03	Right 100						
Roller Undermount								
 <i>C-272</i>	Bracket Space: 19 mm min 23 mm max		 <i>C-367</i>	Bracket Space: 6 mm min 22 mm max		 <i>C-383</i>	Bracket Space: 6 mm min 22 mm max	
	C-278	Left 300		C-371	Left 300		C-407	Left 300
	C-278-01	Right 300		C-371-01	Right 300		C-407-01	Right 300
				C-371-02	Left 100			
			C-371-03	Right 100				




Screw-on

C-274

□ □ 1 1/2 mm
□ □ 6 1/2 mm

Backplate thickness □ 3 mm



Hettich Undermount			Please Contact Hettich to Order		
 HET-QUAD Available only through Dettich C-395 400 C-395-02 100 C-390-S	Bracket Space: 24 mm min 49 mm max	 HET-FAQ □ □ STOP, Available only from Dettich C-475-02 100 C-469	Bracket Space: 6 mm min 13 mm max	 HET-FAQ 10.00 mm STOP, Available only from Dettich C-487-02 100 C-481	Bracket Space: 13 mm min 18 mm max
 HET-FAQ 14.625 mm STOP, Available only from Dettich C-499-02 100 C-493	Bracket Space: 18 mm min 21 mm max	 HET-FAQ 18 mm STOP, Available only from Dettich C-511-02 100 C-505	Bracket Space: 21 mm min 24 mm max	 HET-FAQ 21.175 mm STOP, Available only from Dettich C-523-02 100 C-517	Bracket Space: 24 mm min 26 mm max
 HET-FAQ 22.70 mm STOP, Available only from Dettich C-535-02 100 C-529	Bracket Space: 26 mm min 30 mm max				




□ □ 15 mm
□ □ 65 mm



Backplate thickness ≥ 3 mm

Unassigned						
C-014	HET-FAQ	Bracket Space: 11 mm min 44 mm max		Bracket Space: 40 mm min 44 mm max		Bracket Space: 3 mm min 3 mm max
			C-234-07		C-250	
C-349	HET-QUAD	Bracket Space: 47 mm min 47 mm max		Bracket Space: 37 mm min 41 mm max		Bracket Space: 13 mm min 22 mm max
			C-409		C-477	
C-490		Bracket Space: 35 mm min 39 mm max		Bracket Space: 50 mm min 54 mm max		Bracket Space: 35 mm min 38 mm max
			C-572		C-575	
C-580		Bracket Space: 33 mm min 39 mm max		Bracket Space: 27 mm min 31 mm max		Bracket Space: 47 mm min 47 mm max
			C-703		C-792	
C-795		Bracket Space: 37 mm min 39 mm max		Bracket Space: 11 mm min 39 mm max	KV4200, KV4260, KV4270	Bracket Space: 23 mm min 55 mm max
			C-799		HAR-608	



8 mm Dowel


8 1/8" 3 mm Dowel Length


□ □ 16 mm
□ □ 3 1/8" mm


1 1/8" or thicker □ Back thickness

C-307

Backplate thickness □ 5 mm



Undermount					
 C-234	Bracket Space: 42 mm min 46 mm max C-309400 C-309-02100	 C-238	Bracket Space: 48 mm min 52 mm max C-310400 C-310-02100	 C-315	Bracket Space: 33 mm min 37 mm max C-316400 C-316-02100
 C-312	Bracket Space: 47 mm min 51 mm max C-327400 C-327-02100	SAL  C-332	Bracket Space: 51 mm min 55 mm max C-333400	 C-458	Bracket Space: 56 mm min 60 mm max C-461400
 C-572	Bracket Space: 52 mm min 56 mm max C-573400	GR EL, GR DYN  HAR-605/HAR-606	Over/On Bracket Sold as B-421 (L & R) Brackets □Screws□ Bracket Space: 8 mm min 78 mm max C-682Left50 C-682-01Right50		
Inset Undermount					
 C-279	Bracket Space: 13 mm min 41 mm max C-308400 C-308-02100	 C-344	Bracket Space: 28 mm min 41 mm max C-354400	 C-346	Bracket Space: 13 mm min 41 mm max C-360400
 C-580	Bracket Space: 35 mm min 41 mm max □Ray Backplate C-581400	 C-799	Bracket Space: 13 mm min 41 mm max C-705400	Edge  C-780	Bracket Space: 13 mm min 41 mm max C-781400
 C-792	Bracket Space: 49 mm min 49 mm max C-793400	Edge  C-780	Bracket Space: 13 mm min 41 mm max □Ray Backplate C-798400		



8 mm Dowel


8 1/8" 3 mm Dowel Length


□ □ 16 mm
□ □ 3 1/8" mm


1 1/8" or thicker □ack thickness

C-307

Backplate thickness □ 5 mm



Ball Bearing				□ □ e Recommend Fastening Slide to Metal Bracket with Pan Head Screw □									
 <i>HAR-600</i>	HET-5632, Pro 100, Bee Bracket Space: 25 mm min 57 mm max			 <i>HAR-601</i>	KV 8400 Bracket Space: 25 mm min 57 mm max			 <i>HAR-602</i>	HGH, Com Bracket Space: 25 mm min 57 mm max				
	C-607	Left	50		C-621	Left	50		C-632	Left	50		
	C-607-01	Right	50		C-621-01	Right	50		C-632-01	Right	50		
 <i>HAR-603</i>	F5000, KV TT Bracket Space: 25 mm min 57 mm max			 <i>HAR-604</i>	F5043 Bracket Space: 25 mm min 57 mm max			 <i>HAR-607</i>	ACC, Com Bracket Space: 25 mm min 57 mm max				
	C-643	Left	50		C-673	Left	50		C-771	Left	50		
	C-643-01	Right	50		C-673-01	Right	50		C-771-01	Right	50		
 <i>HAR-608</i>	KV4200, KV4260, KV4270 Bracket Space: 25 mm min 57 mm max												
	C-791		50										
	C-791-01		50										
Sidemount													
 <i>C-650</i>	GR 6603 Bracket Space: 8 mm min 30 mm max			 <i>C-384</i>	SAL Bracket Space: 8 mm min 30 mm max								
	C-653	Left	400		C-661	Left	400						
	C-653-01	Right	400		C-661-01	Right	400						
	C-653-02	Left	100										
	C-653-03	Right	100										
Roller Undermount													
 <i>C-272</i>	Bracket Space: 21 mm min 25 mm max			 <i>C-367</i>	Bracket Space: 8 mm min 24 mm max			 <i>C-383</i>	Bracket Space: 8 mm min 24 mm max				
	C-342	Left	300		C-370	Left	300		C-403	Left	300		
	C-342-01	Right	300		C-370-01	Right	300		C-403-01	Right	300		
					C-370-02	Left	100						
					C-370-03	Right	100						




8 mm Dowel


8 1/8" 3 mm Dowel Length


□ □ 16 mm
□ □ 3 1/8" mm

1 1/8" or thicker □ Back thickness
C-307

Backplate thickness □ 5 mm



Hettich Undermount								
 <i>C-349</i>	HET-QUAD	Bracket Space: 49 mm min 49 mm max	 <i>C-390-S</i>	Bracket Space: 26 mm min 51 mm max Available only through Dettich	 <i>C-469</i>	Bracket Space: 8 mm min 15 mm max □□ STOP, Available only from Dettich		
	C-350	400		C-391		400	C-470-02	100
				C-391-02		100		
 <i>C-481</i>	HET-FAQ	Bracket Space: 15 mm min 20 mm max 10.00 mm STOP, Available only from Dettich	 <i>C-493</i>	Bracket Space: 20 mm min 23 mm max 14.825 mm STOP, Available only from Dettich	 <i>C-505</i>	Bracket Space: 23 mm min 26 mm max 18 mm STOP, Available only from Dettich		
	C-482-02	100		C-494-02		100	C-506	600
							C-506-02	100
 <i>C-517</i>	HET-FAQ	Bracket Space: 26 mm min 28 mm max 21.175 mm STOP, Available only from Dettich	 <i>C-529</i>	Bracket Space: 28 mm min 32 mm max 22.70 mm STOP, Available only from Dettich				
	C-518-02	100		C-530-02	100			




8 mm Dowel

8 1/8" 3 mm Dowel Length


□ □ 16 mm
□ □ 3 1/8" mm

1 1/8" or thicker □ack thickness
C-307

Backplate thickness □ 5 mm



Unassigned					
C-014	HET-FAQ	Bracket Space: 13 mm min 46 mm max		Bracket Space: 42 mm min 46 mm max	Bracket Space: 5 mm min 5 mm max
C-409		Bracket Space: 39 mm min 43 mm max		Bracket Space: 15 mm min 24 mm max	Bracket Space: 37 mm min 41 mm max
C-575		Bracket Space: 37 mm min 40 mm max		Bracket Space: 29 mm min 33 mm max	Bracket Space: 39 mm min 41 mm max



10 mm Dowel


14 mm Dowel Length

1 1/4" Back thickness

C-291

□ □ 3 1/4" □ 28 mm
□ □ 8 mm

Backplate thickness □ 3 mm




Undermount

 C-234	Bracket Space: 40 mm min 44 mm max			 C-238	Bracket Space: 46 mm min 50 mm max			 C-315	Bracket Space: 31 mm min 35 mm max		
	C-235	Left	400		C-239	Left	400		C-319	Left	400
	C-235-01	Right	400		C-239-01	Right	400		C-319-01	Right	400
	C-235-02	Left	100		C-239-02	Left	100		C-319-02	Left	100
	C-235-03	Right	100		C-239-03	Right	100		C-319-03	Right	100
 C-312	Bracket Space: 45 mm min 49 mm max			 C-332	Bracket Space: 49 mm min 53 mm max			 C-458	Bracket Space: 54 mm min 58 mm max		
	C-328	Left	400		C-343	Left	400		C-462	Left	400
	C-328-01	Right	400		C-343-01	Right	400		C-462-01	Right	400
 C-490	Bracket Space: 35 mm min 39 mm max			 HAR-605/HAR-606	Bracket Space: 6 mm min 76 mm max □ TerDon Bracket Sold as B-422 (L & R) Brackets □ Screws□						
	C-503		400		C-683	Left	50				
	C-503-01		400		C-683-01	Right	50				

Inset Undermount

 C-279	Bracket Space: 11 mm min 39 mm max			 C-344	Bracket Space: 26 mm min 39 mm max			 C-346	Bracket Space: 11 mm min 39 mm max		
	C-283	Left	400		C-348	Left	400		C-362	Left	400
	C-283-01	Right	400		C-348-01	Right	400		C-362-01	Right	400
	C-283-02	Left	100								
	C-283-03	Right	100								
 C-780	Edge	Bracket Space: 11 mm min 39 mm max									
		C-784	Left	400							
		C-784-01	Right	400							



10 mm Dowel


14 mm Dowel Length


1 1/4" Bracket thickness


C-291

3 1/2" 28 mm
8 mm

Backplate thickness 3 mm



Ball Bearing				□ □ e Recommend Fastening Slide to Metal Bracket with Pan Head Screw □					
 HET-5632, Pro 100, Bee <i>HAR-600</i>	Bracket Space: 23 mm min 55 mm max		 KV 8400 <i>HAR-601</i>	Bracket Space: 23 mm min 55 mm max		 HGH, Com <i>HAR-602</i>	Bracket Space: 23 mm min 55 mm max		
	C-609 Left 50	C-609-01 Right 50		C-622 Left 50	C-622-01 Right 50		C-633 Left 50	C-633-01 Right 50	
 F5000, KV TT <i>HAR-603</i>	Bracket Space: 23 mm min 55 mm max		 F5043 <i>HAR-604</i>	Bracket Space: 23 mm min 55 mm max		 ACC, Com <i>HAR-607</i>	Bracket Space: 23 mm min 55 mm max		
	C-641 Left 50	C-641-01 Right 50		C-674 Left 50	C-674-01 Right 50		C-772 Left 50	C-772-01 Right 50	
Sidemount									
 GR 6603 <i>C-650</i>	Bracket Space: 6 mm min 28 mm max		 SAL <i>C-384</i>	Bracket Space: 6 mm min 28 mm max					
	C-654 Left 400	C-654-01 Right 400		C-662 Left 400	C-662-01 Right 400				
	C-654-02 Left 100	C-654-03 Right 100							
Roller Undermount									
 <i>C-272</i>	Bracket Space: 19 mm min 23 mm max		 <i>C-367</i>	Bracket Space: 6 mm min 22 mm max		 <i>C-383</i>	Bracket Space: 6 mm min 22 mm max		
	C-273 Left 300	C-273-01 Right 300		C-372 Left 300	C-372-01 Right 300		C-404 Left 300	C-404-01 Right 300	
				C-372-02 Left 100	C-372-03 Right 100				



10 mm Dowel


14 mm Dowel Length

1 1/4" Back thickness


C-291

□ □ 3 1/2 □ 28 □ mm
□ □ 8 mm

Backplate thickness □ 3 mm



Hettich Undermount				□Please Contact Hettich to □rder							
 <i>C-390-S</i>	HET-QUAD	Bracket Space: 24 mm min 49 mm max Available only through Dettich		 <i>C-469</i>	HET-FAQ	Bracket Space: 6 mm min 13 mm max □□ STOP, Available only from Dettich		 <i>C-481</i>	HET-FAQ	Bracket Space: 10.0□ mm STOP, Available only from Dettich 13 mm min 18 mm max	
	C-392	Left	400		C-471-02	Left	100		C-483-02	Left	100
	C-392-01	Right	400		C-471-03	Right	100		C-483-03	Right	100
	C-392-02	Left	100								
	C-392-03	Right	100								
 <i>C-493</i>	HET-FAQ	Bracket Space: 14.825 mm STOP, Available only from Dettich 18 mm min 21 mm max		 <i>C-505</i>	HET-FAQ	Bracket Space: 18 mm STOP, Available only from Dettich 21 mm min 24 mm max		 <i>C-517</i>	HET-FAQ	Bracket Space: 21.175 mm STOP, Available only from Dettich 24 mm min 26 mm max	
	C-495-02	Left	100		C-507-02	Left	100		C-519-02	Left	100
	C-495-03	Right	100		C-507-03	Right	100		C-519-03	Right	100
 <i>C-529</i>	HET-FAQ	Bracket Space: 22.7□ mm STOP, Available only from Dettich 26 mm min 30 mm max		 <i>C-014</i>	HET-FAQ						
	C-531-02	Left	100		C-706		300				
	C-531-03	Right	100								




10 mm Dowel

14 mm Dowel Length


1 1/4" Back thickness
C-291

3 1/2" 28 mm
8 mm

Backplate thickness 3 mm



Unassigned					
C-014	HET-FAQ	Bracket Space: 11 mm min 44 mm max		Bracket Space: 40 mm min 44 mm max	Bracket Space: 3 mm min 3 mm max
C-349	HET-QUAD	Bracket Space: 47 mm min 47 mm max		Bracket Space: 37 mm min 41 mm max	Bracket Space: 13 mm min 22 mm max
C-572		Bracket Space: 50 mm min 54 mm max		Bracket Space: 35 mm min 38 mm max	Bracket Space: 33 mm min 39 mm max
C-703		Bracket Space: 27 mm min 31 mm max		Bracket Space: 47 mm min 47 mm max	Bracket Space: 37 mm min 39 mm max
C-799		Bracket Space: 11 mm min 39 mm max	KV4200, KV4260, KV4270	Bracket Space: 23 mm min 55 mm max	
			HAR-608		



10 mm Dowel


11 mm Dowel Length

1 1/8" Back thickness

C-298

□ □ 3/8" □ 28 mm
□ □ 8 mm

Backplate thickness □ 3 mm




Undermount

 C-234	Bracket Space: 40 mm min 44 mm max <table><tr><td>C-299</td><td>Left</td><td>400</td></tr><tr><td>C-299-01</td><td>Right</td><td>400</td></tr><tr><td>C-299-02</td><td>Left</td><td>100</td></tr><tr><td>C-299-03</td><td>Right</td><td>100</td></tr></table>	C-299	Left	400	C-299-01	Right	400	C-299-02	Left	100	C-299-03	Right	100	 C-238	Bracket Space: 46 mm min 50 mm max <table><tr><td>C-300</td><td>Left</td><td>400</td></tr><tr><td>C-300-01</td><td>Right</td><td>400</td></tr><tr><td>C-300-02</td><td>Left</td><td>100</td></tr><tr><td>C-300-03</td><td>Right</td><td>100</td></tr></table>	C-300	Left	400	C-300-01	Right	400	C-300-02	Left	100	C-300-03	Right	100	 C-315	Bracket Space: 31 mm min 35 mm max <table><tr><td>C-320</td><td>Left</td><td>400</td></tr><tr><td>C-320-01</td><td>Right</td><td>400</td></tr><tr><td>C-320-02</td><td>Left</td><td>100</td></tr><tr><td>C-320-03</td><td>Right</td><td>100</td></tr></table>	C-320	Left	400	C-320-01	Right	400	C-320-02	Left	100	C-320-03	Right	100
C-299	Left	400																																							
C-299-01	Right	400																																							
C-299-02	Left	100																																							
C-299-03	Right	100																																							
C-300	Left	400																																							
C-300-01	Right	400																																							
C-300-02	Left	100																																							
C-300-03	Right	100																																							
C-320	Left	400																																							
C-320-01	Right	400																																							
C-320-02	Left	100																																							
C-320-03	Right	100																																							
 C-312	Bracket Space: 45 mm min 49 mm max <table><tr><td>C-329</td><td>Left</td><td>400</td></tr><tr><td>C-329-01</td><td>Right</td><td>400</td></tr></table>	C-329	Left	400	C-329-01	Right	400	 C-332	SAL Bracket Space: 49 mm min 53 mm max <table><tr><td>C-340</td><td>Left</td><td>400</td></tr><tr><td>C-340-01</td><td>Right</td><td>400</td></tr></table>	C-340	Left	400	C-340-01	Right	400	 C-458	Bracket Space: 54 mm min 58 mm max <table><tr><td>C-463</td><td>Left</td><td>400</td></tr><tr><td>C-463-01</td><td>Right</td><td>400</td></tr></table>	C-463	Left	400	C-463-01	Right	400																		
C-329	Left	400																																							
C-329-01	Right	400																																							
C-340	Left	400																																							
C-340-01	Right	400																																							
C-463	Left	400																																							
C-463-01	Right	400																																							
 HAR-605/HAR-606	GR EL, GR DYN □□																																								

Inset Undermount

 <i>C-279</i>	Bracket Space: 11 mm min 39 mm max			 <i>C-344</i>	Bracket Space: 26 mm min 39 mm max			 <i>C-346</i>	Bracket Space: 11 mm min 39 mm max		
	C-301	Left	400		C-356	Left	400		C-363	Left	400
	C-301-01	Right	400		C-356-01	Right	400		C-363-01	Right	400
	C-301-02	Left	100								
	C-301-03	Right	100								
 <i>C-780</i>	Edge	Bracket Space: 11 mm min 39 mm max		 <i>C-792</i>	Bracket Space: 47 mm min 47 mm max						
	C-787	Left	400		C-794	400					
	C-787-01	Right	400		C-794-01	400					



10 mm Dowel


11 mm Dowel Length


1 1/8" Bracket thickness


C-298

3 1/2" 28 mm
8 mm

Backplate thickness 3 mm



Ball Bearing				□ □ e Recommend Fastening Slide to Metal Bracket with Pan Head Screw □				
 <i>HAR-600</i>	Bracket Space: 23 mm min 55 mm max		KV 8400	Bracket Space: 23 mm min 55 mm max		HGH, Com	Bracket Space: 23 mm min 55 mm max	
	C-611	Left 50	 <i>HAR-601</i>	C-623	Left 50	 <i>HAR-602</i>	C-634	Left 50
	C-611-01	Right 50		C-623-01	Right 50		C-634-01	Right 50
 <i>HAR-603</i>	Bracket Space: 23 mm min 55 mm max		F5043	Bracket Space: 23 mm min 55 mm max		ACC, Com	Bracket Space: 23 mm min 55 mm max	
	C-645	Left 50	 <i>HAR-604</i>	C-675	Left 50	 <i>HAR-607</i>	C-773	Left 50
	C-645-01	Right 50		C-675-01	Right 50		C-773-01	Right 50
Sidemount								
 <i>C-650</i>	Bracket Space: 6 mm min 28 mm max		SAL	Bracket Space: 6 mm min 28 mm max				
	C-655	Left 400	 <i>C-384</i>	C-663	Left 400			
	C-655-01	Right 400		C-663-01	Right 400			
Roller Undermount								
 <i>C-272</i>	Bracket Space: 19 mm min 23 mm max		 <i>C-367</i>	Bracket Space: 6 mm min 22 mm max		 <i>C-383</i>	Bracket Space: 6 mm min 22 mm max	
	C-304	Left 500		C-373	Left 300		C-405	Left 300
	C-304-01	Right 500		C-373-01	Right 300		C-405-01	Right 300
 <i>C-477</i>	Bracket Space: 13 mm min 22 mm max 10 mm STOP							
	C-478	Left 300						
	C-478-01	Right 300						



10 mm Dowel


11 mm Dowel Length

1 1/8" Back thickness


C-298

3 1/2" 28 mm
8 mm

Backplate thickness 3 mm



Hettich Undermount				Please Contact Hettich to Order							
 <i>C-390-S</i>	HET-QUAD	Bracket Space: 24 mm min 49 mm max Available only through Dettich		 <i>C-469</i>	HET-FAQ	Bracket Space: 6 mm min 13 mm max 10 mm STOP, Available only from Dettich		 <i>C-481</i>	HET-FAQ	Bracket Space: 13 mm min 18 mm max 10.0 mm STOP, Available only from Dettich	
	C-393	Left	400		C-472-02	Left	100		C-484-02	Left	100
	C-393-01	Right	400		C-472-03	Right	100		C-484-03	Right	100
	C-393-02	Left	100								
	C-393-03	Right	100								
 <i>C-493</i>	HET-FAQ	Bracket Space: 18 mm min 21 mm max 14.825 mm STOP, Available only from Dettich		 <i>C-505</i>	HET-FAQ	Bracket Space: 21 mm min 24 mm max 18 mm STOP, Available only from Dettich		 <i>C-517</i>	HET-FAQ	Bracket Space: 24 mm min 26 mm max 21.175 mm STOP, Available only from Dettich	
	C-496-02	Left	100		C-508-02	Left	100		C-520-02	Left	100
	C-496-03	Right	100		C-508-03	Right	100		C-520-03	Right	100
 <i>C-529</i>	HET-FAQ	Bracket Space: 26 mm min 30 mm max 22.7 mm STOP, Available only from Dettich		 <i>C-014</i>	HET-FAQ	Bracket Space: 11 mm min 44 mm max					
	C-532-02	Left	100		C-582		400				
	C-532-03	Left	100		C-582-01		400				



10 mm Dowel


11 mm Dowel Length

1 8 □ □ Back thickness


C-298

□ □ 3 5 □ 28 □ mm
□ □ 8 mm

Backplate thickness □ 3 mm



Unassigned					
C-234-07	Bracket Space: 40 mm min 44 mm max	C-250	Bracket Space: 3 mm min 3 mm max	HET-QUAD	Bracket Space: 47 mm min 47 mm max
C-409	Bracket Space: 37 mm min 41 mm max	C-490	Bracket Space: 35 mm min 39 mm max	C-349	Bracket Space: 50 mm min 54 mm max
C-575	Bracket Space: 35 mm min 38 mm max	C-580	Bracket Space: 33 mm min 39 mm max	C-572	Bracket Space: 27 mm min 31 mm max
C-795	Bracket Space: 37 mm min 39 mm max	C-799	Bracket Space: 11 mm min 39 mm max	KV4200, KV4260, KV4270	Bracket Space: 23 mm min 55 mm max
				HAR-608	




10 mm Dowel
1389 mm Dowel Length

1 1/4" Back thickness


C-335

□ □ 3 1/8" mm
□ □ 3" mm

Backplate thickness □ 3" mm



Undermount											
 C-234	Bracket Space: 40 mm min 44 mm max			 C-238	Bracket Space: 46 mm min 50 mm max			 C-315	Bracket Space: 31 mm min 35 mm max		
	C-336	Left	400		C-337	Left	400		C-339	Left	400
	C-336-01	Right	400		C-337-01	Right	400		C-339-01	Right	400
								C-339-02	Left	100	
								C-339-03	Right	100	
 C-312	Bracket Space: 45 mm min 49 mm max			 C-332	Bracket Space: 49 mm min 53 mm max			 C-458	Bracket Space: 54 mm min 58 mm max		
	C-366	Left	400		C-380	Left	400		C-464	Left	400
	C-366-01	Right	400		C-380-01	Right	400		C-464-01	Right	400
 C-234-07	Bracket Space: 40 mm min 44 mm max			 HAR-605/HAR-606	Bracket Space: 6 mm min 76 mm max □ TerDon Bracket Sold as B-424 (L & R Brackets □ Screws□						
	C-525		400		C-685	Left	50				
	C-525-01		400		C-685-01	Right	50				
Inset Undermount											
 C-279	Bracket Space: 11 mm min 39 mm max			 C-344	Bracket Space: 26 mm min 39 mm max			 C-346	Bracket Space: 11 mm min 39 mm max		
	C-338	Left	400		C-357	Left	400		C-364	Left	400
	C-338-01	Right	400		C-357-01	Right	400		C-364-01	Right	400
 C-703	Bracket Space: 27 mm min top / 39 mm min bottom 31 mm max top / 43 mm max bottom			 C-780	Bracket Space: 11 mm min 39 mm max						
	C-704		400		C-788	Left	400				
	C-704-01		400		C-788-01	Right	400				




10 mm Dowel
1389 mm Dowel Length


1 1/4" Back thickness


C-335

□ □ 3 1/2 mm
□ □ 3 mm

Backplate thickness □ 3 mm



Ball Bearing				□ □ e Recommend Fastening Slide to Metal Bracket with Pan Head Screw□					
 <i>HAR-600</i>	Bracket Space: 23 mm min 55 mm max		 <i>HAR-601</i>	Bracket Space: 23 mm min 55 mm max		 <i>HAR-602</i>	Bracket Space: 23 mm min 55 mm max		
	C-617	Left		50	C-624		Left	50	C-627
	C-617-01	Right	50	C-624-01	Right	50	C-627-01	Right	50
							C-627-02	Left	25
							C-627-03	Right	25
 <i>HAR-603</i>	Bracket Space: 23 mm min 55 mm max		 <i>HAR-604</i>	Bracket Space: 23 mm min 55 mm max		 <i>HAR-607</i>	Bracket Space: 23 mm min 55 mm max		
	C-646	Left		50	C-676		Left	50	C-774
	C-646-01	Right	50	C-676-01	Right	50	C-774-01	Right	50
Sidemount									
 <i>C-650</i>	Bracket Space: 6 mm min 28 mm max		 <i>C-384</i>	Bracket Space: 6 mm min 28 mm max					
	C-658	Left		400	C-664	Left	400		
	C-658-01	Right	400	C-664-01	Right	400			
	C-658-02	Left	100						
	C-658-03	Right	100						
Roller Undermount									
 <i>C-272</i>	Bracket Space: 19 mm min 23 mm max		 <i>C-367</i>	Bracket Space: 6 mm min 22 mm max		 <i>C-383</i>	Bracket Space: 6 mm min 22 mm max		
	C-341	Left		300	C-374		Left	300	C-406
	C-341-01	Right	300	C-374-01	Right	300	C-406-01	Right	300
				C-374-02	Left	100			
				C-374-03	Right	100			



10 mm Dowel


1389 mm Dowel Length

1 1/4" Back thickness


C-335

□ □ 3 1/8" mm
□ □ 3" mm

Backplate thickness □ 3" mm



Hettich Undermount				Please Contact Hettich to Order							
 <i>C-390-S</i>	HET-QUAD	Bracket Space: 24 mm min 49 mm max Available only through Dettich		 <i>C-469</i>	HET-FAQ	Bracket Space: 6 mm min 13 mm max □ □ STOP, Available only from Dettich		 <i>C-481</i>	HET-FAQ	Bracket Space: 13 mm min 18 mm max 10.00 mm STOP, Available only from Dettich	
	C-394	Left	400		C-473-02	Left	100		C-485-02	Left	100
	C-394-01	Right	400		C-473-03	Right	100		C-485-03	Right	100
	C-394-02	Left	100								
	C-394-03	Right	100								
 <i>C-493</i>	HET-FAQ	Bracket Space: 18 mm min 21 mm max 14.825 mm STOP, Available only from Dettich		 <i>C-505</i>	HET-FAQ	Bracket Space: 21 mm min 24 mm max 18 mm STOP, Available only from Dettich		 <i>C-517</i>	HET-FAQ	Bracket Space: 24 mm min 26 mm max 21.175 mm STOP, Available only from Dettich	
	C-497-02	Left	100		C-509-02	Left	100		C-521-02	Left	100
	C-497-03	Right	100		C-509-03	Right	100		C-521-03	Right	100
 <i>C-529</i>	HET-FAQ	Bracket Space: 26 mm min 30 mm max 22.70 mm STOP, Available only from Dettich									
	C-533-02	Left	100								
	C-533-03	Right	100								



10 mm Dowel


13 1/8" Dowel Length

1 1/4" Bracket thickness


C-335

□ □ 3 1/8" mm
□ □ 3 mm

Backplate thickness □ 3 mm



Unassigned							
C-014	HET-FAQ	Bracket Space: 11 mm min 44 mm max	C-250	Bracket Space: 3 mm min 3 mm max	HET-QUAD	Bracket Space: 47 mm min 47 mm max	
C-409		Bracket Space: 37 mm min 41 mm max	C-477	Bracket Space: 13 mm min 22 mm max	C-349	Bracket Space: 35 mm min 39 mm max	
C-572		Bracket Space: 50 mm min 54 mm max	C-575	Bracket Space: 35 mm min 38 mm max	C-490	Bracket Space: 33 mm min 39 mm max	
C-792		Bracket Space: 47 mm min 47 mm max	C-795	Bracket Space: 37 mm min 39 mm max	C-799	Bracket Space: 11 mm min 39 mm max	
KV4200, KV4260, KV4270		Bracket Space: 23 mm min 55 mm max	HAR-608				




10 mm Dowel
9 1/8 inch Dowel Length

1 1/8 inch Back thickness

C-413

□ □ 3 1/8 inch
□ □ 3 inch

Backplate thickness □ 3 mm




Undermount

 C-234	Bracket Space: 40 mm min 44 mm max	 C-238	Bracket Space: 46 mm min 50 mm max	 C-312	Bracket Space: 45 mm min 49 mm max
	C-416 Left 400 C-416-01 Right 400	C-417 Left 400 C-417-01 Right 400	C-418 Left 400 C-418-01 Right 400	C-419 Left 400 C-419-01 Right 400	C-420 Left 400 C-420-01 Right 400
 C-315	Bracket Space: 31 mm min 35 mm max	SAL	Bracket Space: 49 mm min 53 mm max	 C-458	Bracket Space: 54 mm min 58 mm max
 C-332	Bracket Space: 6 mm min 76 mm max	C-421 Left 400 C-421-01 Right 400	C-422 Left 400 C-422-01 Right 400	C-423 Left 400 C-423-01 Right 400	C-424 Left 400 C-424-01 Right 400
GR EL, GR DYN HAR-605/HAR-606	Bracket Space: 6 mm min 76 mm max	C-425 Left 400 C-425-01 Right 400	C-426 Left 400 C-426-01 Right 400	C-427 Left 400 C-427-01 Right 400	C-428 Left 400 C-428-01 Right 400

Inset Undermount

 C-279	Bracket Space: 11 mm min 39 mm max	 C-344	Bracket Space: 26 mm min 39 mm max	 C-346	Bracket Space: 11 mm min 39 mm max
	C-429 Left 400 C-429-01 Right 400	C-430 Left 400 C-430-01 Right 400	C-431 Left 400 C-431-01 Right 400	C-432 Left 400 C-432-01 Right 400	C-433 Left 400 C-433-01 Right 400
Edge C-780	Bracket Space: 11 mm min 39 mm max	C-434 Left 400 C-434-01 Right 400	C-435 Left 400 C-435-01 Right 400	C-436 Left 400 C-436-01 Right 400	C-437 Left 400 C-437-01 Right 400




10 mm Dowel
9 mm Dowel Length


18 mm Bracket thickness


C-413

□ □ 3 mm
□ □ 3 mm

Backplate thickness □ 3 mm



Ball Bearing				□ □ e Recommend Fastening Slide to Metal Bracket with Pan Head Screw □					
 <i>HAR-600</i>	Bracket Space: 23 mm min 55 mm max		 <i>HAR-601</i>	Bracket Space: 23 mm min 55 mm max		 <i>HAR-602</i>	Bracket Space: 23 mm min 55 mm max		
	C-637 Left 50 C-637-01 Right 50	C-638 Left 50 C-638-01 Right 50		C-639 Left 50 C-639-01 Right 50					
 <i>HAR-603</i>	Bracket Space: 23 mm min 55 mm max		 <i>HAR-604</i>	Bracket Space: 23 mm min 55 mm max		 <i>HAR-607</i>	Bracket Space: 23 mm min 55 mm max		
	C-647 Left 50 C-647-01 Right 50	C-677 Left 50 C-677-01 Right 50		C-775 Left 50 C-775-01 Right 50					
Sidemount									
 <i>C-650</i>	Bracket Space: 6 mm min 28 mm max		 <i>C-384</i>	Bracket Space: 6 mm min 28 mm max					
	C-667 Left 400 C-667-01 Right 400	C-668 Left 400 C-668-01 Right 400							
Roller Undermount									
 <i>C-367</i>	Bracket Space: 6 mm min 22 mm max		 <i>C-383</i>	Bracket Space: 6 mm min 22 mm max		 <i>C-272</i>	Bracket Space: 19 mm min 23 mm max		
	C-414 Left 300 C-414-01 Right 300	C-415 Left 300 C-415-01 Right 300		C-445 Left 300 C-445-01 Right 300					



10 mm Dowel


9 mm Dowel Length

1 8 mm Back thickness

C-413

3 mm
3 mm

Backplate thickness 3 mm



Hettich Undermount

Please Contact Hettich to Order

HET-QUAD  Bracket Space: 24 mm min 49 mm max Available only through Dettich C-421 Left 400 C-421-01 Right 400 C-421-02 Left 100 C-421-03 Right 100 C-390-S	HET-FAQ  Bracket Space: 6 mm min 13 mm max 10 mm STOP, Available only from Dettich C-474-02 Left 100 C-474-03 Right 100 C-469	HET-FAQ  Bracket Space: 13 mm min 18 mm max 10 mm STOP, Available only from Dettich C-486-02 Left 100 C-486-03 Right 100 C-481
HET-FAQ  Bracket Space: 18 mm min 21 mm max 14.825 mm STOP, Available only from Dettich C-498-02 Left 100 C-498-03 Right 100 C-493	HET-FAQ  Bracket Space: 21 mm min 24 mm max 18 mm STOP, Available only from Dettich C-510-02 Left 100 C-510-03 Right 100 C-505	HET-FAQ  Bracket Space: 24 mm min 26 mm max 21.175 mm STOP, Available only from Dettich C-522-02 Left 100 C-522-03 Right 100 C-517
HET-FAQ  Bracket Space: 26 mm min 30 mm max 22.70 mm STOP, Available only from Dettich C-534-02 Left 100 C-534-03 Right 100 C-529		




95 mm Dowel Length

18□□ack thickness

C-413


□ □ **35 mm**

□ □ 3 mm



Backplate thickness ≥ 3 mm

Unassigned						
C-014	HET-FAQ	Bracket Space: 11 mm min 44 mm max		Bracket Space: 40 mm min 44 mm max		Bracket Space: 3 mm min 3 mm max
			C-234-07		C-250	
C-349	HET-QUAD	Bracket Space: 47 mm min 47 mm max		Bracket Space: 37 mm min 41 mm max		Bracket Space: 13 mm min 22 mm max
			C-409		C-477	
C-490		Bracket Space: 35 mm min 39 mm max		Bracket Space: 50 mm min 54 mm max		Bracket Space: 35 mm min 38 mm max
			C-572		C-575	
C-580		Bracket Space: 33 mm min 39 mm max		Bracket Space: 27 mm min 31 mm max		Bracket Space: 47 mm min 47 mm max
			C-703		C-792	
C-795		Bracket Space: 37 mm min 39 mm max		Bracket Space: 11 mm min 39 mm max	KV4200, KV4260, KV4270	Bracket Space: 23 mm min 55 mm max
			C-799		HAR-608	




10 mm Dowel
9/25 mm Dowel Length

1 1/8" Back thickness


C-539

□ □ 3 1/8" mm
□ □ 3 mm

Backplate thickness □ 13 mm



Undermount					
	Bracket Space: 50 mm min 54 mm max			Bracket Space: 56 mm min 60 mm max	
	C-540 Left 400			C-541 Left 400	
	C-540-01 Right 400			C-541-01 Right 400	
C-234			C-238		
	Bracket Space: 41 mm min 45 mm max			Bracket Space: 59 mm min 63 mm max	
	C-543 Left 400			C-544 Left 400	
	C-543-01 Right 400			C-544-01 Right 400	
C-315			C-332		
GR EL, GR DYN			SAL		
	Bracket Space: 16 mm min 86 mm max			Bracket Space: 64 mm min 68 mm max	
	C-696 Left 50			C-547 Left 400	
	C-696-01 Right 50			C-547-01 Right 400	
HAR-605/HAR-606			C-458		
Inset Undermount					
	Bracket Space: 21 mm min 49 mm max			Bracket Space: 36 mm min 49 mm max	
	C-548 Left 400			C-549 Left 400	
	C-548-01 Right 400			C-549-01 Right 400	
C-279			C-344		
	Bracket Space: 21 mm min 49 mm max			Bracket Space: 47 mm min 49 mm max	
	C-790 Left 400			C-796 400	
	C-790-01 Right 400			C-796-01 400	
C-780			C-795		




10 mm Dowel
9/25 mm Dowel Length


1 1/8" Bracket thickness


C-539

□ □ 3 1/2 mm
□ □ 3 mm

Backplate thickness □ 13 mm



Ball Bearing			□ □ e Recommend Fastening Slide to Metal Bracket with Pan Head Screw □		
 <i>HAR-600</i>	Bracket Space: 33 mm min 65 mm max		 <i>HAR-601</i>	Bracket Space: 33 mm min 65 mm max	
	C-689 Left 50 C-689-01 Right 50	C-690 Left 50 C-690-01 Right 50			
 <i>HAR-603</i>	Bracket Space: 33 mm min 65 mm max		 <i>HAR-604</i>	Bracket Space: 33 mm min 65 mm max	
	C-692 Left 50 C-692-01 Right 50	C-693 Left 50 C-693-01 Right 50			
 <i>HAR-602</i>	Bracket Space: 33 mm min 65 mm max		 <i>HAR-607</i>	Bracket Space: 33 mm min 65 mm max	
	C-691 Left 50 C-691-01 Right 50	C-776 Left 50 C-776-01 Right 50			
Sidemount					
 <i>C-384</i>	Bracket Space: 16 mm min 38 mm max		 <i>C-650</i>	Bracket Space: 16 mm min 38 mm max	
	C-694 Left 400 C-694-01 Right 400	C-695 Left 400 C-695-01 Right 400			
Roller Undermount					
 <i>C-272</i>	Bracket Space: 29 mm min 33 mm max		 <i>C-367</i>	Bracket Space: 16 mm min 32 mm max	
	C-551 Left 300 C-551-01 Right 300	C-552 Left 300 C-552-01 Right 300			
 <i>C-383</i>	Bracket Space: 16 mm min 32 mm max			Bracket Space: 16 mm min 32 mm max	
	C-553 Left 300 C-553-01 Right 300			C-553 Left 300 C-553-01 Right 300	




10 mm Dowel
925 mm Dowel Length


1 1/8" Back thickness


C-539

□ □ 3 1/8" mm
□ □ 3 mm

Backplate thickness □ 13 mm



Hettich Undermount				Please Contact Hettich to Order							
	HET-QUAD	Bracket Space: 34 mm min 59 mm max Available only through Dettich			HET-FAQ	Bracket Space: 16 mm min 23 mm max □ □ STOP, Available only from Dettich			HET-FAQ	Bracket Space: 23 mm min 28 mm max 10.00 mm STOP, Available only from Dettich	
	C-545-02	Left	100		C-554-02	Left	100		C-555-02	Left	100
	C-545-03	Right	100		C-554-03	Right	100		C-555-03	Right	100
C-390-S				C-469				C-481			
	HET-FAQ	Bracket Space: 28 mm min 31 mm max 14.825 mm STOP, Available only from Dettich			HET-FAQ	Bracket Space: 31 mm min 34 mm max 18 mm STOP, Available only from Dettich			HET-FAQ	Bracket Space: 34 mm min 36 mm max 21.175 mm STOP, Available only from Dettich	
	C-556-02	Left	100		C-557-02	Left	100		C-558-02	Left	100
	C-556-03	Right	100		C-557-03	Right	100		C-558-03	Right	100
C-493				C-505				C-517			
	HET-FAQ	Bracket Space: 36 mm min 40 mm max 22.70 mm STOP, Available only from Dettich									
	C-559-02	Left	100								
	C-559-03	Right	100								
C-529											



10 mm Dowel


9/25 mm Dowel Length

1 8/16" Back thickness


C-539

□ □ 3 1/8 mm
□ □ 3 mm

Backplate thickness □ 13 mm



Unassigned					
C-014	HET-FAQ	Bracket Space: 21 mm min 54 mm max		Bracket Space: 50 mm min 54 mm max	Bracket Space: 13 mm min 13 mm max
C-349	HET-QUAD	Bracket Space: 57 mm min 57 mm max		Bracket Space: 47 mm min 51 mm max	Bracket Space: 23 mm min 32 mm max
C-490		Bracket Space: 45 mm min 49 mm max		Bracket Space: 60 mm min 64 mm max	Bracket Space: 45 mm min 48 mm max
C-580		Bracket Space: 43 mm min 49 mm max		Bracket Space: 37 mm min 41 mm max	Bracket Space: 57 mm min 57 mm max
C-799		Bracket Space: 21 mm min 49 mm max	KV4200, KV4260, KV4270	Bracket Space: 33 mm min 65 mm max	
			HAR-608		




8 mm Dowel
13 mm Dowel Length

3/8" Back thickness


C-253

□ □ 3/8" mm
□ □ 16 mm

Backplate thickness □ 3 mm



Undermount					
 C-234	Bracket Space: 40 mm min 44 mm max		 C-315	Bracket Space: 31 mm min 35 mm max Gray Backplate	
	C-254	Left	400	C-271	400
	C-254-01	Right	400	C-271-01	400
	C-254-02	Left	100		
	C-254-03	Right	100		
 C-315	Bracket Space: 31 mm min 35 mm max		 C-328	Bracket Space: 46 mm min 50 mm max	
	C-322	Left	400	C-325	Left 400
	C-322-01	Right	400	C-325-01	Right 400
 C-409	Bracket Space: 37 mm min 41 mm max		 C-458	Bracket Space: 54 mm min 58 mm max	
	C-410	Left	400	C-459	Left 400
	C-410-01	Right	400	C-459-01	Right 400
				GR EL, GR DYN  Order On Bracket Sold as B-419 (L & R Brackets) Screws	
				C-680	Left 50
				C-680-01	Right 50
Inset Undermount					
 C-279	Bracket Space: 11 mm min 39 mm max		 C-346	Bracket Space: 11 mm min 39 mm max	
	C-282	Left	400	C-347	Left 400
	C-282-01	Right	400	C-347-01	Right 400
	C-282-02	Left	100		
	C-282-03	Right	100		
Edge  C-780	Bracket Space: 11 mm min 39 mm max			Bracket Space: 26 mm min 39 mm max	
	C-783	Left	400	C-352	Left 400
	C-783-01	Right	400	C-352-01	Right 400




8 mm Dowel




13 mm Dowel Length


38 mm Bracket thickness
C-253

□ □ 3 mm
□ □ 16 mm

Backplate thickness □ 3 mm



Ball Bearing				□ □ e Recommend Fastening Slide to Metal Bracket with Pan Head Screw□							
 <i>HAR-600</i>	Bracket Space: 23 mm min 55 mm max		 <i>HAR-601</i>	Bracket Space: 23 mm min 55 mm max		 <i>HAR-602</i>	Bracket Space: 23 mm min 55 mm max				
	C-613	Left		50	C-619		Left	50	C-630	Left	50
	C-613-01	Right		50	C-619-01		Right	50	C-630-01	Right	50
 <i>HAR-603</i>	Bracket Space: 23 mm min 55 mm max		 <i>HAR-604</i>	Bracket Space: 23 mm min 55 mm max		 <i>HAR-607</i>	Bracket Space: 23 mm min 55 mm max				
	C-649	Left		50	C-671		Left	50	C-777	Left	50
	C-649-01	Right		50	C-671-01		Right	50	C-777-01	Right	50
Sidemount											
 <i>C-650</i>	Bracket Space: 6 mm min 28 mm max		 <i>C-384</i>	Bracket Space: 6 mm min 28 mm max							
	C-656	Left		400	C-659	Left	400				
	C-656-01	Right		400	C-659-01	Right	400				
Roller Undermount											
 <i>C-367</i>	Bracket Space: 6 mm min 22 mm max		 <i>C-272</i>	Bracket Space: 19 mm min 23 mm max		 <i>C-383</i>	Bracket Space: 6 mm min 22 mm max				
	C-368	Left		300	C-376		Left	300	C-401	Left	300
	C-368-01	Right		300	C-376-01		Right	300	C-401-01	Right	300




8 mm Dowel

13 mm Dowel Length


3/8" Back thickness
C-253

□ □ 3/8" mm
□ □ 16 mm

Backplate thickness □ 3 mm



Hettich Undermount					
C-014	HET-FAQ	Bracket Space: 11 mm min 44 mm max	C-349	HET-QUAD	Bracket Space: 47 mm min 47 mm max
C-469	HET-FAQ	Bracket Space: 6 mm min 13 mm max	C-481	HET-FAQ	Bracket Space: 13 mm min 18 mm max
C-505	HET-FAQ	Bracket Space: 21 mm min 24 mm max	C-517	HET-FAQ	Bracket Space: 24 mm min 26 mm max
C-390-S	HET-QUAD	Bracket Space: 24 mm min 49 mm max	C-493	HET-FAQ	Bracket Space: 18 mm min 21 mm max




8 mm Dowel
13 mm Dowel Length


3 mm Back thickness
C-253

□ □ 3 mm
□ □ 16 mm

Backplate thickness □ 3 mm



Unassigned					
C-234-07	Bracket Space: 40 mm min 44 mm max	C-250	Bracket Space: 3 mm min 3 mm max	C-477	Bracket Space: 13 mm min 22 mm max
C-490	Bracket Space: 35 mm min 39 mm max	C-572	Bracket Space: 50 mm min 54 mm max	C-575	Bracket Space: 35 mm min 38 mm max
C-580	Bracket Space: 33 mm min 39 mm max	C-703	Bracket Space: 27 mm min 31 mm max	C-792	Bracket Space: 47 mm min 47 mm max
C-795	Bracket Space: 37 mm min 39 mm max	C-799	Bracket Space: 11 mm min 39 mm max	KV4200, KV4260, KV4270	Bracket Space: 23 mm min 55 mm max
				HAR-608	




8 mm Dowel
634 mm Dowel Length

1 1/8" Back thickness

C-293

□ □ 0 mm
□ □ 3 mm

Backplate thickness □ 13 mm





Undermount

 C-238	Bracket Space: 56 mm min 60 mm max C-294 Left 300 C-294-01 Right 300	 C-234	Bracket Space: 50 mm min 54 mm max C-323 Left 300 C-323-01 Right 300	 C-315	Bracket Space: 41 mm min 45 mm max C-324 Left 300 C-324-01 Right 300
 C-312	Bracket Space: 55 mm min 59 mm max C-326 Left 400 C-326-01 Right 400	SAL  C-332	Bracket Space: 59 mm min 63 mm max C-378 Left 300 C-378-01 Right 400	 C-458	Bracket Space: 64 mm min 68 mm max C-460 Left 400 C-460-01 Right 400
GR EL, GR DYN  HAR-605/HAR-606	Bracket Space: 16 mm min 86 mm max □ □ 1/8" Dia Bracket Sold as B-420 (L & R Brackets □ Screws □ C-681 Left 50 C-681-01 Right 50				

Inset Undermount

	Bracket Space: 21 mm min 49 mm max				Bracket Space: 36 mm min 49 mm max				Bracket Space: 21 mm min 49 mm max		
	C-297	Left	400		C-353	Left	300		C-359	Left	300
	C-297-01	Right	400		C-353-01	Right	300		C-359-01	Right	300
C-279				C-344				C-346			


	Edge			Bracket Space: 21 mm min 49 mm max					
	C-786	Left	400						
	C-786-01	Right	400						
C-780									




8 mm Dowel
634 mm Dowel Length

18 mm Bracket thickness
C-293

□ □ 0 mm
□ □ 3 mm



Backplate thickness □ 13 mm

Ball Bearing			□ □ e Recommend Fastening Slide to Metal Bracket with Pan Head Screw □					
 <i>HAR-600</i>	Bracket Space: 33 mm min 65 mm max		 <i>HAR-601</i>	Bracket Space: 33 mm min 65 mm max		 <i>HAR-602</i>	Bracket Space: 33 mm min 65 mm max	
	C-615 Left 50 C-615-01 Right 50	C-620 Left 50 C-620-01 Right 50		C-631 Left 50 C-631-01 Right 50				
 <i>HAR-603</i>	Bracket Space: 33 mm min 65 mm max		 <i>HAR-604</i>	Bracket Space: 33 mm min 65 mm max		 <i>HAR-607</i>	Bracket Space: 33 mm min 65 mm max	
	C-669 Left 50 C-669-01 Right 50	C-672 50 C-672-01 Right 50		C-778 Left 50 C-778-01 Right 50				
Sidemount								
 <i>C-650</i>	Bracket Space: 16 mm min 38 mm max		 <i>C-384</i>	Bracket Space: 16 mm min 38 mm max				
	C-657 Left 400 C-657-01 Right 400	C-660 Left 400 C-660-01 Right 400						
Roller Undermount								
 <i>C-272</i>	Bracket Space: 29 mm min 33 mm max		 <i>C-367</i>	Bracket Space: 16 mm min 32 mm max		 <i>C-383</i>	Bracket Space: 16 mm min 32 mm max	
	C-295 Left 300 C-295-01 Right 300	C-369 Left 300 C-369-01 Right 300		C-402 Left 300 C-402-01 Right 300				




18 Back thickness

□ □ 0 mm

□ □ 3 mm



HET-FAQ	Bracket Space: 21 mm min 54 mm max	HET-QUAD	Bracket Space: 57 mm min 57 mm max	HET-QUAD	Bracket Space: 34 mm min 59 mm max
<i>C-014</i>		<i>C-349</i>		<i>C-390-S</i>	
HET-FAQ	Bracket Space: 16 mm min 23 mm max	HET-FAQ	Bracket Space: 23 mm min 28 mm max	HET-FAQ	Bracket Space: 28 mm min 31 mm max
<i>C-469</i>		<i>C-481</i>		<i>C-493</i>	
HET-FAQ	Bracket Space: 31 mm min 34 mm max	HET-FAQ	Bracket Space: 34 mm min 36 mm max	HET-FAQ	Bracket Space: 36 mm min 40 mm max
<i>C-505</i>		<i>C-517</i>		<i>C-529</i>	




8 mm Dowel

634 mm Dowel Length


18□□ack thickness
C-293

□□0 mm
□□3 mm

Backplate thickness□13 mm




Unassigned					
C-234-07	Bracket Space: 50 mm min 54 mm max	C-250	Bracket Space: 13 mm min 13 mm max	C-409	Bracket Space: 47 mm min 51 mm max
C-477	Bracket Space: 23 mm min 32 mm max	C-490	Bracket Space: 45 mm min 49 mm max	C-572	Bracket Space: 60 mm min 64 mm max
C-575	Bracket Space: 45 mm min 48 mm max	C-580	Bracket Space: 43 mm min 49 mm max	C-703	Bracket Space: 37 mm min 41 mm max
C-792	Bracket Space: 57 mm min 57 mm max	C-795	Bracket Space: 47 mm min 49 mm max	C-799	Bracket Space: 21 mm min 49 mm max
KV4200, KV4260, KV4270	Bracket Space: 33 mm min 65 mm max				
HAR-608					




Peninsula

C-237

Backplate thickness 3 mm




Undermount					
 C-234	Bracket Space: 40 mm min 44 mm max C-242250 C-242-02100	 C-315	Bracket Space: 31 mm min 35 mm max C-318250 C-318-02100	 C-238	Bracket Space: 46 mm min 50 mm max C-321250 C-321-02100
 C-312	Bracket Space: 45 mm min 49 mm max C-330250 C-330-02100	 C-332	SAL Bracket Space: 49 mm min 53 mm max C-381250 C-381-02100	 C-458	Bracket Space: 54 mm min 58 mm max C-467250
 HAR-605/HAR-606	GR EL, GR DYN Bracket Space: 6 mm min 76 mm max C-49210 C-492-0110				
Inset Undermount					
 C-279	Bracket Space: 11 mm min 39 mm max C-284250 C-284-02100	 C-344	Bracket Space: 26 mm min 39 mm max C-358250 C-358-02100	 C-346	Bracket Space: 11 mm min 39 mm max C-365250 C-365-02100
 C-780	Edge Bracket Space: 11 mm min 39 mm max C-785250				






Peninsula

C-237

Backplate thickness 3 mm




Ball Bearing				□ □ e Recommend Fastening Slide to Metal Bracket with Pan Head Screw□							
 <i>HAR-600</i>	HET-5632, Pro 100, Bee		Bracket Space: 23 mm min 55 mm max	 <i>HAR-601</i>	KV 8400		Bracket Space: 23 mm min 55 mm max	 <i>HAR-602</i>	HGH, Com		Bracket Space: 23 mm min 55 mm max
	C-605	Left	50		C-626	Left	50		C-635	50	
	C-605-01	Right	50		C-626-01	Right	50		C-635-01	50	
 <i>HAR-603</i>	F5000, KV TT		Bracket Space: 23 mm min 55 mm max	 <i>HAR-604</i>	F5043		Bracket Space: 23 mm min 55 mm max	 <i>HAR-607</i>	ACC, Com		Bracket Space: 23 mm min 55 mm max
	C-648	Left	50		C-679	Left	50		C-779	Left	50
	C-648-01	Right	50		C-679-01	Right	50		C-779-01	Right	50
Sidemount											
 <i>C-650</i>	GR 6603		Bracket Space: 6 mm min 28 mm max	 <i>C-384</i>	SAL		Bracket Space: 6 mm min 28 mm max				
	C-652	Left	400		C-666-02	Left	100				
	C-652-01	Right	400		C-666-03	Right	100				
	C-652-02	Left	100								
	C-652-03	Right	100								
Roller Undermount											
 <i>C-272</i>	C-296		Bracket Space: 19 mm min 23 mm max	 <i>C-367</i>	C-375		Bracket Space: 6 mm min 22 mm max	 <i>C-383</i>	C-408		Bracket Space: 6 mm min 22 mm max
	C-296	Left	100		C-375	Left	250		C-408-02	Left	100
	C-296-01	Right	100		C-375-01	Right	250		C-408-03	Right	100
					C-375-02	Left	100				
				C-375-03	Right	100					



Peninsula

C-237

Backplate thickness 3 mm




Hettich Undermount			Please Contact Hettich to Order		
 HET-QUAD Available only through Dettich C-396-02 100 C-390-S	Bracket Space: 24 mm min 49 mm max	 HET-FAQ 10 mm STDP, Available only from Dettich C-476-02 100 C-469	Bracket Space: 6 mm min 13 mm max	 HET-FAQ 10.00 mm STDP, Available only from Dettich C-488-02 100 C-481	Bracket Space: 13 mm min 18 mm max
 HET-FAQ 14.625 mm STDP, Available only from Dettich C-500-02 100 C-493	Bracket Space: 18 mm min 21 mm max	 HET-FAQ 18 mm STDP, Available only from Dettich C-512-02 100 C-505	Bracket Space: 21 mm min 24 mm max	 HET-FAQ 21.175 mm STDP, Available only from Dettich C-524-02 100 C-517	Bracket Space: 24 mm min 26 mm max
 HET-FAQ 22.70 mm STDP, Available only from Dettich C-536-02 100 C-529	Bracket Space: 26 mm min 30 mm max				



Backplate thickness ≥ 3 mm



All materials ©2020 TennTex Plastics • We recommend test fitting to ensure proper function • Products in this brochure are Patented or Patent Pending
The listed slides are trademarked by their manufacturers




3 mm Dowel

C-017

□ □ 4 mm
□ □ 24 mm

Backplate thickness □ 3 mm



Hettich Undermount

HET-FAQ


Bracket Space:
11 mm min
44 mm max



C-015 400

C-015-01 400

C-014




3 mm Dowel

C-018

□ □ 4 mm
□ □ 24 mm

Backplate thickness □ 3 mm



Hettich Undermount

HET-FAQ


Bracket Space:
11 mm min
44 mm max



C-016 400

C-016-01 400

C-014




3 mm Dowel

C-305 □ C-305-B □

□ □ 4 mm
□ □ 24 mm

Backplate thickness □ 3 mm



Inset Undermount

Bracket Space:
11 mm min
39 mm max




C-306 Left 400

C-306-01 Right 400

C-306-01-BE Right 400

C-306-BE Left 400

C-279




3mm Dowel

C-397 □ C-397-SM

□ □ 4 mm
□ □ 24 mm

Backplate thickness □ 3 mm



Inset Undermount

Bracket Space:
11 mm min
39 mm max




C-398 Left 400

C-398-01 Right 400

C-398-01-SM Right 400

C-398-SM Left 400

C-279




10 mm Dowel

1 1/8" Back thickness

C-479

□ □ 27 3/4 mm
□ □ 11 1/4 mm

Backplate thickness □ 3 mm



Undermount




C-490

Bracket Space:
35 mm min
39 mm max

C-501 300

GR EL, GR DYN



HAR-605/HAR-606

Bracket Space:
6 mm min
76 mm max

C-513 10

C-513-01 10


10 mm Dowel

1 1/8" Back thickness

C-480

□ □ 27 3/4 mm
□ □ 8 mm

Backplate thickness □ 3 mm



Undermount



C-490

Bracket Space:
35 mm min
39 mm max

C-502 300

GR EL, GR DYN




HAR-605/HAR-606

Bracket Space:
6 mm min
76 mm max

C-514 10

C-514-01 10




C-575

Bracket Space:
35 mm min
38 mm max

C-577 300

Inset Undermount



C-344

Bracket Space:
26 mm min
39 mm max

C-504 400


10 mm Dowel

1 1/8" Back thickness

C-574

□ □ 27 3/4 mm
□ □ 11 1/4 mm

Backplate thickness □ 3 mm




Undermount



C-575

Bracket Space:
35 mm min
38 mm max

C-576 400




8 mm Dowel

1 1/8" or thicker Back thickness











C-578

Backplate thickness 13 mm

16 mm
3/8 mm



Undermount

 C-234	Bracket Space: 50 mm min 54 mm max C-579300	 C-315	Bracket Space: 41 mm min 45 mm max C-583300	 C-238	Bracket Space: 56 mm min 60 mm max C-585300
 C-312	Bracket Space: 55 mm min 59 mm max C-587300	SAL  C-332	Bracket Space: 59 mm min 63 mm max C-588300	 C-409	Bracket Space: 47 mm min 51 mm max C-591300
 C-458	Bracket Space: 64 mm min 68 mm max C-592300	 C-490	Bracket Space: 45 mm min 49 mm max C-593300	 C-572	Bracket Space: 60 mm min 64 mm max C-594300
 C-575	Bracket Space: 45 mm min 48 mm max C-595300				











Inset Undermount


 C-279	Bracket Space: 21 mm min 49 mm max C-586 300	 C-344	Bracket Space: 36 mm min 49 mm max C-589 300	 C-346	Bracket Space: 21 mm min 49 mm max C-590 300
 C-580	Bracket Space: 43 mm min 49 mm max C-596 300	Edge C-780	Bracket Space: 21 mm min 49 mm max C-597 300	 C-792	Bracket Space: 57 mm min 57 mm max C-598 300
 C-795	Bracket Space: 47 mm min 49 mm max C-701 300	 C-799	Bracket Space: 21 mm min 49 mm max C-702 400		

Hettich Undermount


HET-FAQ C-014	Bracket Space: 21 mm min 54 mm max C-584 300
	C-584-01 300

Cut Down Elite / FAQ

	10mm Dowel X = 27.3mm, Y = 13.28mm Hettich C-206-007 600		10mm Dowel X = 27.3mm, Y = 12mm C-448 100		8mm Dowel X = 3.5mm, Y = 16mm Norcraft C-562 Left 600 C-562-01 Right 600
	10mm Dowel X = 27.3mm, Y = 13.28mm AWC C-563 Left 600 C-563-01 Right 600		10mm Dowel X = 3.5mm, Y = 8mm CDI C-564 Left 600 C-564-01 Right 600	 Gray	10mm Dowel X = 27.3mm, Y = 13.28mm AWC C-565 Left 600 C-565-01 Right 600
	Screw-On AWC C-566 200		10mm Dowel X = 3.5mm, Y = 3mm Smart C-567 Left 400 C-567-01 Right 400		10mm Dowel X = 27.3mm, Y = 13.28mm AWC C-599 600
	10mm Dowel X = 27.3MM, Y = 13.28mm AWC C-707 250				




V-notch




ITEM #	Description	X	X Hole 1	X Hole 2	X Hole 3	Y	Y Hole 1	Y Hole 2	Y Hole 3	Dowel Dia.	Dowel Spread	Back Thickness	Slide
C-072	V-Notch	3.5				3				10mm	32mm	1/4"	6604 CM/6610 DM
C-072	V-Notch	3.5				8				10mm	32mm	1/4"	6605 CM/6600 DM
C-087	V-Notch	3.5				0				3mm	32mm	3/8"	6604 CM
C-087-01	V-Notch	3.5				0				3mm	32mm	1/4"	6604 CM/6600 DM
C-088	V-Notch	41.5				26				1/4"	38mm	1/4"	6604 CM/6600 DM
C-088	V-Notch	41.5				21				1/4"	38mm	1/4"	6604 CM/6610 DM
C-096	V-Notch	3.5				3				8mm	32mm	3/8"	6604 CM/6610 DM
C-096	V-Notch	3.5				8				8mm	32mm	3/8"	6605 CM/6600 DM
C-100	V-Notch	28				8				10mm	32mm	1/4"	6604 CM/6600 DM
C-101	V-Notch Peninsula	NA				NA				NA	NA	NA	6604/6605 CM
C-145	V-Notch(Add Screw)	3.5				3				8mm	32mm	3/8"	6604 CM/6610 DM
C-145	V-Notch(Add Screw)	3.5				8				8mm	32mm	3/8"	6605 CM/6600 DM
C-148	V-Notch	-5				3				10mm	32mm	1/4"	6604 CM/6610 DM
C-148	V-Notch	-5				8				10mm	32mm	1/4"	6604 CM/6600 DM
C-150	V-Notch, Screw On Non-Handed	NA				NA	18	18	18	None	NA	Variable	6604 CM/6610 DM
C-150	V-Notch, Screw On Non-Handed	NA				NA	23	23	23	None	NA	Variable	6604 CM/6600 DM
C-157	V-Notch	3.5				3				5mm	32mm	1/4"	6604 CM/6610 DM
C-157	V-Notch	3.5				8				5mm	32mm	1/4"	6605 CM/6600 DM
C-173	V-Notch	3.5				3				8mm	32mm	3/8"	6604 CM/6610 DM
C-173	V-Notch	3.5				8				8mm	32mm	3/8"	6605 CM/6600 DM
C-188	V-Notch	3.5				3				8mm	32mm	3/16"	6604 CM/6610 DM
C-188	V-Notch	3.5				8				8mm	32mm	3/16"	6605 CM/6600 DM
C-210	V-Notch	3.5				3				10mm	32mm	3/16"	6604 CM/6610 DM
C-210	V-Notch	3.5				8				10mm	32mm	3/16"	6605 CM/6600 DM
C-259	Rear V-Notch Brkt 8MM Dowel	0				3				8mm	32mm	1/8"	6604 CM/6610 DM
C-285	V Notch Cut off Assembly	3.5				3				10mm	32mm	1/4"	6603 CM/6610 DM
C-285	V Notch Cut off Assembly	3.5				8				10mm	32mm	1/4"	6603 CM/6600 DM
C-457	V Notch Screw-On	NA				NA				None	NA	Variable	6604 CM/6610 DM

Screw-On Sidemount




Various Imported Slides



Bracket Space:
10 mm min
44 mm max


C-151-01	Left	500
C-151-02	Right	500



Bracket Space:
10 mm min
44 mm max


C-152-01	Left	500
C-152-02	Right	500

Salice and Similar Slides



Bracket Space:
5 mm min
48 mm max

C-266	Left	500
C-266-01	Right	500
C-266-02	Left	100
C-266-03	Right	100




Built in side-to-side
adjustment

Bracket Space:
13 mm min
43 mm max


C-270	Left	500
C-270-01	Right	500
C-270-02	Left	100
C-270-03	Right	100

KV, Ferrari, Hafele, and Similar Slides



Bracket Space:
5 mm min
48 mm max

C-302	Left	500
C-302-01	Right	500
C-302-02	Left	100
C-302-03	Right	100




Built in side-to-side
adjustment

Bracket Space:
13 mm min
43 mm max

C-303	Left	500
C-303-01	Right	500
C-303-02	Left	100
C-303-03	Right	100


Grass 6650 and Similar Slides



Bracket Space:
10 mm min
44 mm max

C-089	Left	500
C-089-01	Right	500
C-089-02	Left	100
C-089-03	Right	100


Grass 6610 and Similar Slides



Bracket Space:
10 mm min
44 mm max

C-069	Left	500
C-069-01	Right	500
C-069-02	Left	100
C-069-03	Right	100


Blum 230 and Similar Slides



Bracket Space:
10 mm min
44 mm max

C-105	Left	500
C-104	Right	500

KV 1284 and Similar Slides



Bracket Space:
10 mm min
44 mm max

C-256	Left	500
C-256-01	Right	500
C-256-02	Left	200
C-256-03	Right	200

Bracket Solutions Worksheet

CONTACT INFORMATION

Company:

Phone:

Contact:

Email:

CABINET INFO

Drill Pattern:

☐ X= 3.5 mm Y= 16 mm
 ☐ X= 0 mm Y= 3 mm
 ☐ X= 16 mm Y= 3.5 mm
 ☐ X= 3.5 mm Y= 8 mm
 ☐ X= 3.5 mm Y= 3 mm


Dowel Diameter:

☐ 8 mm
 ☐ 10 mm
 ☐ Screw-On
 ☐ Peninsula

Slide Type:

☐ Undermount
 ☐ Roller Undermount
 ☐ Ball Bearing
 ☐ Sidemount

Back Thickness:





Determine Bracket Space

(measurement between slide and the back panel)

Calculate as follows: **A - B - C = D**

A (inside cabinet depth)
 B (Slide set back)
 C (nominal slide length)
 D (min. & max. bracket space)

A: MINUS B: MINUS C: EQUALS D:




D = Bracket Space

Choose a bracket that fits within the minimum and maximum range of "D"

For more Information or any Questions,
please contact Tenn-Tex

sales@tenntex.com
 1-800-TENN-TEX / 336-931-1100
 336-931-1110 (fax)



www.bracketsolutions.com

TENN-TEX
PLASTICS INC.


www.tenntex.com

Slides and Slide Lengths

Slide	Abbr	Lengths	Setback
Accuride (Ball Bearing)	ACC	350, 400, 450, 500, 550	3
Bee (Ball Bearing)	Bee	250, 300, 350, 400, 450, 500, 550, 600, 650, 700	3
Blum SOLO (Roller Undermount)	Blum SOLO	266, 342, 418, 494, 571	4
Blum Tandem (Undermount)	BL TAND	259, 319, 395, 471, 548	3
Blum Tandem Edge (Undermount)	Edge	274, 351, 427, 504, 580	4
Comtrad (Ball Bearing)	Com	250, 300, 350, 400, 450, 500, 550, 600, 650, 700	3
Comtrad (Undermount)	Com	229, 305, 380, 457, 533	4
FGV America (Ball Bearing)	FGV BB	254, 305, 356, 406, 457, 508, 559, 610, 660, 711	3
FGV America (Undermount)	FGV UND	305, 381, 457, 533	4
Fulterer 5000 (Ball Bearing)	F5000	150, 250, 300, 350, 400, 450, 500, 550, 600, 650, 700, 750	3
Fulterer 5043 (Ball Bearing)	F5043	250, 300, 350, 400, 450, 500, 550, 600, 650, 700	3
Grass (Ball Bearing)	GR BB	250, 300, 350, 400, 450, 500, 550, 600, 650, 700	
Grass 6603 (Sidemount)	GR 6603	506, 570	2
Grass 6610 (Sidemount)	GR 6610	350, 400, 450, 500, 550	2
Grass Dynapro (Undermount)	GR DYN	262, 323, 399, 475, 551	4
Grass Elite (Undermount)	GR EL	250, 317, 394, 470, 550	4
Grass Express (Roller Undermount)	GR EXP	280, 344, 422, 500, 575	1.5
Grass Maxcess (Undermount)	GR MX	256, 316, 392, 468, 545	4
Hafele Moovit (Undermount)	HAF-MOOVIT		2
Hettich Quadro (Undermount)	HET-QUAD	242, 318, 394, 470, 546	2
Hettich 5632 (Ball Bearing)	HET-5632	250, 300, 350, 400, 500, 550, 600, 650, 700	2
Hettich FAQ (Undermount)	HET-FAQ	269, 345, 422, 498, 574	1
HGH (Ball Bearing)	HGH	250, 300, 350, 400, 450, 500, 550	3
King (Undermount)	King	256, 318, 394, 470, 546	2
King 3301 (Ball Bearing)	King	250, 300, 350, 400, 450, 500, 550, 600, 650, 700, 750, 800	3
King 3M52 SC (Ball Bearing)	King	300, 350, 400, 450, 500, 550, 600	3
King 3M89 PO (Ball Bearing)	King	250, 300, 350, 400, 450, 500, 550, 600, 650, 700	3
KV 4200 (Ball Bearing)	KV4200	250, 300, 350, 400, 450, 500, 550, 600, 650, 700	3
KV 4260 (Ball Bearing)	KV4260	250, 300, 350, 400, 450, 500, 550, 600, 650, 700	3
KV 4270 (Ball Bearing)	KV4270	300, 350, 400, 450, 500, 550, 600, 650, 700	3
KV 8400 (Ball Bearing)	KV 8400	254, 305, 356, 406, 457, 508, 559	3
KV MUV (Undermount)	KV MUV	258, 315, 366, 391, 417, 467, 518, 544, 569	2
KV Tru-Trak (Ball Bearing)	KV TT	250, 300, 350, 400, 450, 500, 550, 600, 650, 700	3
Pro 100 (Ball Bearing)	Pro 100	250, 300, 350, 400, 450, 500, 550, 600, 650, 700	3
Salice (Sidemount)	SAL	500, 550, 570	2
Salice Adar/Futura (Undermount)	SAL	263, 315, 391, 467, 543	4
Top Slide 757 ST (Ball Bearing)	TC 757ST	250, 300, 350, 400, 450, 500, 550, 600	3

Intermediates


C-014 □ □ □ C-014-01 □ □



Backplates: C-253, C-274, C-291, C-237, C-293, C-298, C-307, C-335, C-413, C-539, C-017, C-578, C-018

Stop□ 8 mm stop
Slides: □ ET-□ □ □


C-234



Backplates: C-253, C-274, C-291, C-237, C-293, C-298, C-307, C-335, C-413, C-539, C-578

Stop□ 37 mm stop
Slides:


C-234-07



Backplates: C-253, C-274, C-291, C-237, C-293, C-298, C-307, C-335, C-413, C-539

Stop□ 37 mm stop
Slides:


C-238



Backplates: C-253, C-274, C-291, C-237, C-293, C-298, C-307, C-335, C-413, C-539, C-578

Stop□ 43 mm stop
Slides:


C-272



Backplates: C-253, C-274, C-291, C-237, C-293, C-298, C-307, C-335, C-413, C-539

Stop□ 16 mm stop
Slides: Blum □ □ □ □


C-279



Backplates: C-253, C-274, C-291, C-237, C-293, C-298, C-307, C-335, C-413, C-539, C-305 / C-305-BE, C-397 / C-397-SM, C-578

Stop□ 8 mm stop
Slides:


C-312



Backplates: C-253, C-274, C-291, C-237, C-293, C-298, C-307, C-335, C-413, C-539, C-578

Stop□ 42 mm stop
Slides:


C-315



Backplates: C-253, C-274, C-291, C-237, C-293, C-298, C-307, C-335, C-413, C-539, C-578

Stop□ 28 mm stop
Slides:


C-332



Backplates: C-253, C-274, C-291, C-237, C-293, C-298, C-307, C-335, C-413, C-539, C-578

Stop□ 46 mm stop
Slides: SAL


C-344



Backplates: C-253, C-274, C-291, C-237, C-293, C-298, C-307, C-335, C-413, C-539, C-480, C-516, C-578

Stop□ 23 mm stop
Slides:


C-346



Backplates: C-253, C-274, C-291, C-237, C-293, C-298, C-307, C-335, C-413, C-539, C-578

Stop□ 8 mm stop
Slides:


C-349



Backplates: C-253, C-274, C-291, C-237, C-293, C-298, C-307, C-335, C-413, C-539

Stop□ 44 mm stop
Slides: □ ET-□ □ □ □


C-367



Backplates: C-253, C-274, C-291, C-237, C-293, C-298, C-307, C-335, C-413, C-539

Stop□ 3 mm stop
Slides: □ R EDP


C-383



Backplates: C-253, C-274, C-291, C-237, C-293, C-298, C-307, C-335, C-413, C-539

Stop□ 3 mm stop
Slides: Blum □ □ □ □


C-384



Backplates: C-253, C-274, C-291, C-237, C-293, C-298, C-307, C-335, C-413, C-539

Stop□ 3 mm stop
Slides: SAL


C-390-S



Backplates: C-253, C-274, C-291, C-237, C-293, C-298, C-307, C-335, C-413, C-539

Stop□ 21 mm stop
Slides: □ ET-□ □ □ □


C-409



Backplates: C-253, C-274, C-291, C-237, C-293, C-298, C-307, C-335, C-413, C-539, C-578

Stop□ 34 mm stop
Slides:


C-435



Backplates: C-253, C-274, C-291, C-237, C-293, C-298, C-307, C-335, C-413, C-539

Stop□ 9 mm stop
Slides: HAF-MOOVIT


C-458



Backplates: C-253, C-274, C-291, C-237, C-293, C-298, C-307, C-335, C-413, C-539, C-578

Stop□ 51 mm stop
Slides:


C-469



Backplates: C-253, C-274, C-291, C-237, C-293, C-298, C-307, C-335, C-413, C-539

Stop□ 3 mm stop
Slides: □ ET-□ □ □ □


C-477



Backplates: C-253, C-274, C-291, C-237, C-293, C-298, C-307, C-335, C-413, C-539

Stop□ 10 mm stop
Slides: □ R EDP


C-481



Backplates: C-253, C-274, C-291, C-237, C-293, C-298, C-307, C-335, C-413, C-539

Stop□ 10 mm stop
Slides: □ ET-□ □ □ □


C-490



Backplates: C-253, C-274, C-291, C-237, C-293, C-298, C-307, C-335, C-413, C-539, C-479, C-480, C-578

Stop□ 32 mm stop
Slides:


C-493



Backplates: C-253, C-274, C-291, C-237, C-293, C-298, C-307, C-335, C-413, C-539

Stop□ 15 mm stop
Slides: □ ET-□ □ □ □


C-505



Backplates: C-253, C-274, C-291, C-237, C-293, C-298, C-307, C-335, C-413, C-539

Stop□ 18 mm stop
Slides: □ET-□AD


C-517



Backplates: C-253, C-274, C-291, C-237, C-293, C-298, C-307, C-335, C-413, C-539

Stop□ 21 mm stop
Slides: □ET-□AD


C-529



Backplates: C-253, C-274, C-291, C-237, C-293, C-298, C-307, C-335, C-413, C-539

Stop□ 23 mm stop
Slides: □ET-□AD


C-572



Backplates: C-253, C-274, C-291, C-237, C-293, C-298, C-307, C-335, C-413, C-539, C-578

Stop□ 47 mm stop
Slides:


C-575



Backplates: C-253, C-274, C-291, C-237, C-293, C-298, C-307, C-335, C-413, C-539, C-480, C-574, C-578

Stop□ 32 mm stop
Slides:


C-580



Backplates: C-253, C-274, C-291, C-237, C-293, C-298, C-307, C-335, C-413, C-539, C-578

Stop□ 30 mm stop
Slides:


C-650



Backplates: C-253, C-274, C-291, C-237, C-293, C-298, C-307, C-335, C-413, C-539

Stop□ 3 mm stop
Slides: □R 6603


C-703



Backplates: C-253, C-274, C-291, C-237, C-293, C-298, C-307, C-335, C-413, C-539

Stop□ 24 mm stop
Slides:


C-780



Backplates: C-253, C-274, C-291, C-237, C-293, C-298, C-307, C-335, C-413, C-539, C-578

Stop□ 8 mm stop
Slides: Edge


C-792



Backplates: C-253, C-274, C-291, C-237, C-293, C-298, C-307, C-335, C-413, C-539, C-578

Stop□ 44 mm stop
Slides:


C-795



Backplates: C-253, C-274, C-291, C-237, C-293, C-298, C-307, C-335, C-413, C-539, C-578

Stop□ 34 mm stop
Slides:


C-799



Backplates: C-253, C-274, C-291, C-237, C-293, C-298, C-307, C-335, C-413, C-539, C-578

Stop□ 8 mm stop
Slides:


HAR-600



Backplates: C-253, C-274, C-291, C-237, C-293, C-298, C-307, C-335, C-413, C-539

Stop□ 20 mm stop
Slides: HET-5632, Pro 100, Bee


HAR-601



Backplates: C-253, C-274, C-291, C-237, C-293, C-298, C-307, C-335, C-413, C-539

Stop□ 20 mm stop
Slides: □□ 8400


HAR-602



Backplates: C-253, C-274, C-291, C-237, C-293, C-298, C-307, C-335, C-413, C-539

Stop□ 20 mm stop
Slides: HGH, Com


HAR-603



Backplates: C-253, C-274, C-291, C-237, C-293, C-298, C-307, C-335, C-413, C-539

Stop□ 20 mm stop
Slides: F5000, KV TT


HAR-604



Backplates: C-253, C-274, C-291, C-237, C-293, C-298, C-307, C-335, C-413, C-539

Stop□ 20 mm stop
Slides: F5043


HAR-605 □□□ HAR-606 □R□



Backplates: C-253, C-274, C-291, C-237, C-293, C-298, C-307, C-335, C-413, C-539, C-479, C-480

Stop□ 3 mm stop
Slides: □R EL, GR DYN


HAR-607



Backplates: C-253, C-274, C-291, C-237, C-293, C-298, C-307, C-335, C-413, C-539

Stop□ 20 mm stop
Slides: ACC, Com

HAR-608



Backplates: C-253, C-274, C-291, C-237, C-293, C-298, C-307, C-335, C-413, C-539

Stop□ 20 mm stop
Slides: KV4200, KV4260, KV4270

Index

C-015 (C-017 □ C-014).....	44	C-251 (C-100 □ C-250).....	48	C-2□1 (Backplate)	12	C-31□ (C-307 □ C-315).....	8
C-015-01 (C-017-01 □ C-014-01).....	44	C-252 (C-248 □ □AR-070).....	55	C-2□1-01 (Backplate)	12	C-31□-02 (C-307 □ C-315).....	8
C-01□ (C-018 □ C-014).....	44	C-252-01 (C-248-01 □ □AR-070).....	55	C-2□1-01-07 (Backplate)	12	C-317 (C-274 □ C-315).....	4
C-01□-01 (C-018-01 □ C-014-01).....	44	C-253 (Backplate)	32	C-2□1-07 (Backplate)	12	C-317-02 (C-274 □ C-315).....	4
C-017 (Backplate)	44	C-253-01 (Backplate)	32	C-2□3 (Backplate)	36	C-318 (C-237 □ C-315).....	40
C-017-01 (Backplate)	44	C-253-04 (Backplate) □ ray.....	32	C-2□3-01 (Backplate)	36	C-318-02 (C-237 □ C-315).....	40
C-018 (Backplate) □ ray.....	44	C-253-05 (Backplate) □ ray.....	32	C-2□4 (C-2□3 □ C-238).....	36	C-31□ (C-2□1 □ C-315).....	12
C-018-01 (Backplate) □ ray.....	44	C-254 (C-253 □ C-234).....	32	C-2□4-01 (C-2□3-01 □ C-238).....	36	C-31□-01 (C-2□1-01 □ C-315).....	12
C-0□□ (Screw-on Sidemount).....	49	C-254-01 (C-253-01 □ C-234).....	32	C-2□5 (C-2□3 □ C-272).....	37	C-31□-02 (C-2□1 □ C-315).....	12
C-0□□-01 (Screw-on Sidemount).....	49	C-254-02 (C-253 □ C-234).....	32	C-2□5-01 (C-2□3-01 □ C-272-01).....	37	C-31□-03 (C-2□1-01 □ C-315).....	12
C-0□□-02 (Screw-on Sidemount).....	49	C-254-03 (C-253-01 □ C-234).....	32	C-2□□ (C-237 □ C-272).....	41	C-320 (C-2□8 □ C-315).....	16
C-0□□-03 (Screw-on Sidemount).....	49	C-25□ (Screw-on Sidemount).....	49	C-2□□-01 (C-237 □ C-272-01).....	41	C-320-01 (C-2□8-01 □ C-315).....	16
C-072B (□-notch).....	48	C-25□-01 (Screw-on Sidemount).....	49	C-2□7 (C-2□3 □ C-27□).....	36	C-320-02 (C-2□8 □ C-315).....	16
C-087 (□-notch).....	48	C-25□-02 (Screw-on Sidemount).....	49	C-2□7-01 (C-2□3-01 □ C-27□).....	36	C-320-03 (C-2□8-01 □ C-315).....	16
C-087-01 (C-087 □ □AR-013).....	48	C-25□-03 (Screw-on Sidemount).....	49	C-2□8 (Backplate)	16	C-321 (C-237 □ C-238).....	40
C-088 (□-notch).....	48	C-25□-04 (Screw-on Sidemount).....	49	C-2□8-01 (Backplate)	16	C-321-02 (C-237 □ C-238).....	40
C-088 (□-notch).....	48	C-25□-05 (Screw-on Sidemount).....	49	C-2□□ (C-2□8 □ C-234).....	16	C-322 (C-253 □ C-315).....	32
C-08□ (Screw-on Sidemount).....	49	C-258 (C-253 □ □AR-075).....	33	C-2□□-01 (C-2□8-01 □ C-234).....	16	C-322-01 (C-253-01 □ C-315).....	32
C-08□-01 (Screw-on Sidemount).....	49	C-258-01 (C-253-01 □ □AR-075).....	33	C-2□□-02 (C-2□8 □ C-234).....	16	C-323 (C-2□3 □ C-234).....	36
C-08□-02 (Screw-on Sidemount).....	49	C-25□ (□-notch).....	48	C-2□□-03 (C-2□8-01 □ C-234).....	16	C-323-01 (C-2□3-01 □ C-234).....	36
C-08□-03 (Screw-on Sidemount).....	49	C-2□□ (Screw-on Sidemount).....	49	C-300 (C-2□8 □ C-238).....	16	C-324 (C-2□3 □ C-315).....	36
C-0□□ (□-notch).....	48	C-2□□-01 (Screw-on Sidemount).....	49	C-300-01 (C-2□8-01 □ C-238).....	16	C-324-01 (C-2□3-01 □ C-315).....	36
C-0□□ (□-notch).....	48	C-2□□-02 (Screw-on Sidemount).....	49	C-300-02 (C-2□8 □ C-238).....	16	C-325 (C-253 □ C-238).....	32
C-0□□ (□-notch).....	48	C-2□□-03 (Screw-on Sidemount).....	49	C-300-03 (C-2□8-01 □ C-238).....	16	C-325-01 (C-253-01 □ C-238).....	32
C-100 (Backplate)	48	C-2□□ (C-257 □ C-25□).....	47	C-301 (C-2□8 □ C-27□).....	16	C-32□ (C-2□3 □ C-312).....	36
C-101 (□-Dotch).....	48	C-2□□-01 (C-257 □ C-25□-01).....	47	C-301-01 (C-2□8-01 □ C-27□).....	16	C-32□-01 (C-2□3-01 □ C-312).....	36
C-101-01 (□-Dotch).....	48	C-270 (C-257 □ C-2□□).....	49	C-301-02 (C-2□8 □ C-27□).....	16	C-327 (C-307 □ C-312).....	8
C-102 (□-Dotch).....	48	C-270-01 (C-257 □ C-2□□-01).....	49	C-301-03 (C-2□8-01 □ C-27□).....	16	C-327-02 (C-307 □ C-312).....	8
C-105 (Screw-on Sidemount).....	49	C-270-02 (C-257 □ C-2□□).....	49	C-302 (Screw-on Sidemount).....	49	C-328 (C-2□1 □ C-312).....	12
C-130 (□-Dotch).....	48	C-270-03 (C-257 □ C-2□□-01).....	49	C-302-01 (Screw-on Sidemount).....	49	C-328-01 (C-2□1-01 □ C-312).....	12
C-131 (□-Dotch).....	48	C-271 (C-253-04 □ C-315).....	32	C-302-02 (Screw-on Sidemount).....	49	C-32□ (C-2□8 □ C-312).....	16
C-145 (□-notch).....	48	C-271-01 (C-253-05 □ C-315).....	32	C-302-03 (Screw-on Sidemount).....	49	C-32□-01 (C-2□8-01 □ C-312).....	16
C-148 (□-notch).....	48	C-273 (C-2□1 □ C-272).....	13	C-302-04 (Screw-on Sidemount).....	49	C-330 (C-237 □ C-312).....	40
C-150 (□-notch).....	48	C-273-01 (C-2□1-01 □ C-272-01).....	13	C-302-05 (Screw-on Sidemount).....	49	C-330-02 (C-237 □ C-312).....	40
C-151-01 (Screw-on Sidemount).....	49	C-274 (Backplate)	4	C-303 (C-257 □ C-302).....	49	C-331 (C-274 □ C-312).....	4
C-151-02 (Screw-on Sidemount).....	49	C-275 (C-274 □ □AR-075).....	7	C-303-01 (C-257 □ C-302-01).....	49	C-331-02 (C-274 □ C-312).....	4
C-152-01 (Screw-on Sidemount).....	49	C-27□ (C-274 □ C-234).....	4	C-303-02 (C-257 □ C-302).....	49	C-333 (C-307 □ C-332).....	8
C-152-02 (Screw-on Sidemount).....	49	C-27□-02 (C-274 □ C-234).....	4	C-303-03 (C-257 □ C-302-01).....	49	C-335 (Backplate)	20
C-157 (□-notch).....	48	C-277 (C-274 □ C-238).....	4	C-304 (C-2□8 □ C-272).....	17	C-335-01 (Backplate)	20
C-173 (□-notch).....	48	C-277-02 (C-274 □ C-238).....	4	C-304-01 (C-2□8-01 □ C-272-01).....	17	C-33□ (C-335 □ C-234).....	20
C-188 (□-notch).....	48	C-278 (C-274 □ C-272).....	5	C-305	44	C-33□-01 (C-335-01 □ C-234).....	20
C-20□-007 (□ixed Position).....	47	C-278-01 (C-274 □ C-272-01).....	5	C-305-01	44	C-337 (C-335 □ C-238).....	20
C-210 (□-notch).....	48	C-280 (C-274 □ C-27□).....	4	C-305-01-BE	44	C-337-01 (C-335-01 □ C-238).....	20
C-235 (C-2□1 □ C-234).....	12	C-280-02 (C-274 □ C-27□).....	4	C-305-BE	44	C-338 (C-335 □ C-27□).....	20
C-235-01 (C-2□1-01 □ C-234).....	12	C-282 (C-253 □ C-27□).....	32	C-30□ (C-305 □ C-27□).....	44	C-338-01 (C-335-01 □ C-27□).....	20
C-235-02 (C-2□1 □ C-234).....	12	C-282-01 (C-253-01 □ C-27□).....	32	C-30□-01-BE (C-305-01-BE □ C-27□).....	44	C-338-02 (C-335 □ C-27□).....	20
C-235-03 (C-2□1-01 □ C-234).....	12	C-282-02 (C-253 □ C-27□).....	32	C-30□-BE (C-305-BE □ C-27□).....	44	C-338-03 (C-335-01 □ C-27□).....	20
C-237 (Backplate)	40	C-282-03 (C-253-01 □ C-27□).....	32	C-307 (Backplate)	8	C-33□ (C-335 □ C-315).....	20
C-23□ (C-2□1 □ C-238).....	12	C-283 (C-2□1 □ C-27□).....	12	C-307-05 (Backplate) □ ray.....	8	C-33□-01 (C-335-01 □ C-315).....	20
C-23□-01 (C-2□1-01 □ C-238).....	12	C-283-01 (C-2□1-01 □ C-27□).....	12	C-308 (C-307 □ C-27□).....	8	C-33□-02 (C-335 □ C-315).....	20
C-23□-02 (C-2□1 □ C-238).....	12	C-283-02 (C-2□1 □ C-27□).....	12	C-308-02 (C-307 □ C-27□).....	8	C-33□-03 (C-335-01 □ C-315).....	20
C-23□-03 (C-2□1-01 □ C-238).....	12	C-283-03 (C-2□1-01 □ C-27□).....	12	C-310 (C-307 □ C-238).....	8	C-340 (C-2□8 □ C-332).....	16
C-242 (C-237 □ C-234).....	40	C-284 (C-237 □ C-27□).....	40	C-310-02 (C-307 □ C-238).....	8	C-340-01 (C-2□8-01 □ C-332).....	16
C-242-02 (C-237 □ C-234).....	40	C-284-02 (C-237 □ C-27□).....	40	C-311 (C-253 □ C-312).....	32	C-341 (C-335 □ C-272).....	21
		C-285 (C-072B □ C-214).....	48	C-311-01 (C-253-01 □ C-312).....	32	C-341-01 (C-335-01 □ C-272-01).....	21

C-342 (C-307 □ C-272).....	9	C-373 (C-208 □ C-307).....	17	C-308 (C-307 □ C-270).....	44	C-437 (C-208 □ C-435).....	36
C-342-01 (C-307 □ C-272-01).....	9	C-373-01 (C-208-01 □ C-307-01).....	17	C-308-01 (C-307-01 □ C-270).....	44	C-437-01 (C-208-01 □ C-435).....	36
C-343 (C-201 □ C-332).....	12	C-374 (C-335 □ C-307).....	21	C-308-01-S□ (C-307-01-S□ □ C-270).....	44	C-437-02 (C-208 □ C-435).....	36
C-343-01 (C-201-01 □ C-332).....	12	C-374-01 (C-335-01 □ C-307-01).....	21	C-308-S□ (C-307-S□ □ C-270).....	44	C-437-03 (C-208-01 □ C-435).....	36
C-345 (C-201 □ C-344).....	12	C-374-02 (C-335 □ C-307).....	21	C-401 (C-253 □ C-383).....	33	C-438 (C-307 □ C-435).....	8
C-345-01 (C-201-01 □ C-344).....	12	C-374-03 (C-335-01 □ C-307-01).....	21	C-401-01 (C-253-01 □ C-383-01).....	33	C-438-02 (C-307 □ C-435).....	8
C-347 (C-253 □ C-340).....	32	C-375 (C-237 □ C-307).....	41	C-402 (C-208 □ C-383).....	37	C-430 (C-413 □ C-435).....	24
C-347-01 (C-253-01 □ C-340).....	32	C-375-01 (C-237 □ C-307-01).....	41	C-402-01 (C-208-01 □ C-383-01).....	37	C-430-01 (C-413-01 □ C-435).....	24
C-348 (C-201 □ C-344).....	12	C-375-02 (C-237 □ C-307).....	41	C-403 (C-307 □ C-383).....	9	C-430-02 (C-413 □ C-435).....	24
C-348-01 (C-201-01 □ C-344).....	12	C-375-03 (C-237 □ C-307-01).....	41	C-403-01 (C-307 □ C-383-01).....	9	C-430-03 (C-413-01 □ C-435).....	24
C-350 (C-307 □ C-340).....	10	C-370 (C-253 □ C-272).....	33	C-404 (C-201 □ C-383).....	13	C-440 (C-201 □ C-435).....	12
C-352 (C-253 □ C-344).....	32	C-370-01 (C-253-01 □ C-272-01).....	33	C-404-01 (C-201-01 □ C-383-01).....	13	C-440-01 (C-201-01 □ C-435).....	12
C-352-01 (C-253-01 □ C-344).....	32	C-377 (C-253 □ C-332).....	32	C-405 (C-208 □ C-383).....	17	C-440-02 (C-201 □ C-435).....	12
C-353 (C-208 □ C-344).....	36	C-377-01 (C-253-01 □ C-332).....	32	C-405-01 (C-208-01 □ C-383-01).....	17	C-440-03 (C-201-01 □ C-435).....	12
C-353-01 (C-208-01 □ C-344).....	36	C-378 (C-208 □ C-332).....	36	C-400 (C-335 □ C-383).....	21	C-441 (C-208 □ C-435).....	16
C-354 (C-307 □ C-344).....	8	C-378-01 (C-208-01 □ C-332).....	36	C-400-01 (C-335-01 □ C-383-01).....	21	C-441-01 (C-208-01 □ C-435).....	16
C-355 (C-274 □ C-344).....	4	C-370 (C-274 □ C-332).....	4	C-407 (C-274 □ C-383).....	5	C-441-02 (C-208 □ C-435).....	16
C-350 (C-208 □ C-344).....	16	C-370-02 (C-274 □ C-332).....	4	C-407-01 (C-274 □ C-383-01).....	5	C-441-03 (C-208-01 □ C-435).....	16
C-350-01 (C-208-01 □ C-344).....	16	C-380 (C-335 □ C-332).....	20	C-408-02 (C-237 □ C-383).....	41	C-442 (C-335 □ C-435).....	20
C-357 (C-335 □ C-344).....	20	C-380-01 (C-335-01 □ C-332).....	20	C-408-03 (C-237 □ C-383-01).....	41	C-442-01 (C-335-01 □ C-435).....	20
C-357-01 (C-335-01 □ C-344).....	20	C-381 (C-237 □ C-332).....	40	C-410 (C-253 □ C-400).....	32	C-442-02 (C-335 □ C-435).....	20
C-358 (C-237 □ C-344).....	40	C-381-02 (C-237 □ C-332).....	40	C-410-01 (C-253-01 □ C-400).....	32	C-442-03 (C-335-01 □ C-435).....	20
C-358-02 (C-237 □ C-344).....	40	C-301 (C-307, C-300, □ □AR-087).....	10	C-413 (Backplate).....	24	C-443 (C-274 □ C-435).....	4
C-350 (C-208 □ C-340).....	36	C-301-02 (C-307, C-300, □ □AR-087).....	10	C-413-01 (Backplate).....	24	C-444 (C-237 □ C-435).....	40
C-350-01 (C-208-01 □ C-340).....	36	C-302 (C-201, C-300, □ □AR-087).....	14	C-414 (C-413 □ C-307).....	25	C-444-02 (C-237 □ C-435).....	40
C-300 (C-307 □ C-340).....	8	C-302-01 (C-201-01, C-300, □ □AR-087).....	14	C-414-01 (C-413-01 □ C-307-01).....	25	C-445 (C-272 □ C-413).....	25
C-301 (C-274 □ C-340).....	4	C-302-02 (C-201, C-300, □ □AR-087).....	14	C-415 (C-413 □ C-383).....	25	C-445-01 (C-272-01 □ C-413-01).....	25
C-301-02 (C-274 □ C-340).....	4	C-302-03 (C-201-01, C-300, □ □AR-087).....	14	C-415-01 (C-413-01 □ C-383-01).....	25	C-448 (Fixed Position).....	47
C-302 (C-201 □ C-340).....	12	C-303 (C-208, C-300, □ □AR-087).....	18	C-410 (C-413 □ C-234).....	24	C-457 (□-notch).....	48
C-302-01 (C-201-01 □ C-340).....	12	C-303-01 (C-208-01, C-300, □ □AR-087).....	18	C-410-01 (C-413-01 □ C-234).....	24	C-450 (C-253 □ C-458).....	32
C-303 (C-208 □ C-340).....	16	C-303-02 (C-208, C-300, □ □AR-087).....	18	C-417 (C-413 □ C-238).....	24	C-450-01 (C-253-01 □ C-458).....	32
C-303-01 (C-208-01 □ C-340).....	16	C-303-03 (C-208-01, C-300, □ □AR-087).....	18	C-417-01 (C-413-01 □ C-238).....	24	C-400 (C-208 □ C-458).....	36
C-304 (C-335 □ C-340).....	20	C-304 (C-335, C-300, □ □AR-087).....	22	C-418 (C-413 □ C-312).....	24	C-400-01 (C-208-01 □ C-458).....	36
C-304-01 (C-335-01 □ C-340).....	20	C-304-01 (C-335-01, C-300, □ □AR-087).....	22	C-418-01 (C-413-01 □ C-312).....	24	C-401 (C-307 □ C-458).....	8
C-305 (C-237 □ C-340).....	40	C-304-02 (C-335, C-300, □ □AR-087).....	22	C-410 (C-413 □ C-315).....	24	C-402 (C-201 □ C-458).....	12
C-305-02 (C-237 □ C-340).....	40	C-304-03 (C-335-01, C-300, □ □AR-087).....	22	C-410-01 (C-413-01 □ C-315).....	24	C-402-01 (C-201-01 □ C-458).....	12
C-300 (C-335 □ C-312).....	20	C-305 (C-274, C-300, □ □AR-087).....	6	C-420 (C-413 □ C-332).....	24	C-403 (C-208 □ C-458).....	16
C-300-01 (C-335-01 □ C-312).....	20	C-305-02 (C-274, C-300, □ □AR-087).....	6	C-420-01 (C-413-01 □ C-332).....	24	C-403-01 (C-208-01 □ C-458).....	16
C-308 (C-253 □ C-307).....	33	C-300-02 (C-237, C-300, □ □AR-087).....	42	C-421 (C-413, C-300, □ □AR-087).....	26	C-404 (C-335 □ C-458).....	20
C-308-01 (C-253-01 □ C-307-01).....	33	C-307 (Backplate) □ray.....	44	C-421-01 (C-413-01, C-300, □ □AR-087).....	26	C-404-01 (C-335-01 □ C-458).....	20
C-300 (C-208 □ C-307).....	37	C-307-01 (Backplate) □ray.....	44	C-421-02 (C-413, C-300, □ □AR-087).....	26	C-405 (C-413 □ C-458).....	24
C-300-01 (C-208-01 □ C-307-01).....	37	C-307-01-S□ (Backplate) Silver.....	44	C-421-03 (C-413-01, C-300, □ □AR-087).....	26	C-405-01 (C-413-01 □ C-458).....	24
C-370 (C-307 □ C-307).....	9	C-307-S□ (Backplate) Silver.....	44	C-422 (C-413 □ C-270).....	24	C-400 (C-274 □ C-458).....	4
C-370-01 (C-307 □ C-307-01).....	9			C-422-01 (C-413-01 □ C-270).....	24	C-407 (C-237 □ C-458).....	40
C-370-02 (C-307 □ C-307).....	9			C-423 (C-413 □ C-344).....	24	C-470-02 (C-307 □ C-400).....	10
C-370-03 (C-307 □ C-307-01).....	9			C-423-01 (C-413-01 □ C-344).....	24	C-471-02 (C-201 □ C-400).....	14
C-371 (C-274 □ C-307).....	5			C-424 (C-413 □ C-340).....	24	C-471-03 (C-201-01 □ C-400).....	14
C-371-01 (C-274 □ C-307-01).....	5			C-424-01 (C-413-01 □ C-340).....	24	C-472-02 (C-208 □ C-400).....	18
C-371-02 (C-274 □ C-307).....	5			C-430 (C-253 □ C-435).....	32	C-472-03 (C-208-01 □ C-400).....	18
C-371-03 (C-274 □ C-307-01).....	5			C-430-01 (C-253-01 □ C-435).....	32	C-473-02 (C-335 □ C-400).....	22
C-372 (C-201 □ C-307).....	13			C-430-02 (C-253 □ C-435).....	32	C-473-03 (C-335-01 □ C-400).....	22
C-372-01 (C-201-01 □ C-307-01).....	13			C-430-03 (C-253-01 □ C-435).....	32	C-474-02 (C-413 □ C-400).....	26
C-372-02 (C-201 □ C-307).....	13					C-474-03 (C-413-01 □ C-400).....	26
C-372-03 (C-201-01 □ C-307-01).....	13					C-475-02 (C-274 □ C-400).....	6

Index



C-47□-02 (C-237 □ C-4□□).....	42	C-51□-02 (C-2□1 □ C-517).....	14	C-552 (C-53□ □ C-3□7).....	29	C-5□5 (C-578 □ C-575).....	46
C-478 (C-2□8 □ C-477).....	17	C-51□-03 (C-2□1-01 □ C-517).....	14	C-552-01 (C-53□-01 □ C-3□7-01).....	29	C-5□□ (C-578 □ C-580).....	46
C-478-01 (C-2□8-01 □ C-477-01).....	17	C-520-02 (C-2□8 □ C-517).....	18	C-553 (C-53□ □ C-383).....	29	C-5□7 (C-578 □ C-780).....	46
C-47□ (Backplate)	45	C-520-03 (C-2□8-01 □ C-517).....	18	C-553-01 (C-53□-01 □ C-383-01).....	29	C-5□8 (C-578 □ C-7□2).....	46
C-480 (Backplate) □ray.....	45	C-521-02 (C-335 □ C-517).....	22	C-554-02 (C-53□ □ C-4□□).....	30	C-5□□ (Fixed Position).....	47
C-482-02 (C-307 □ C-481).....	10	C-521-03 (C-335-01 □ C-517).....	22	C-554-03 (C-53□-01 □ C-4□□).....	30	C-□□3 (C-274, C-□□0, □AR-□□0, □ □AR-□20).....	5
C-483-02 (C-2□1 □ C-481).....	14	C-522-02 (C-413 □ C-517).....	26	C-555-02 (C-53□ □ C-481).....	30	C-□□3-01 (C-274, C-□□0-01, □AR-□□0, □ □AR-□20).....	5
C-483-03 (C-2□1-01 □ C-481).....	14	C-522-03 (C-413-01 □ C-517).....	26	C-555-03 (C-53□-01 □ C-481).....	30	C-□□5 (C-237, C-□□0, □AR-□□0, □ □AR-□20).....	41
C-484-02 (C-2□8 □ C-481).....	18	C-523-02 (C-274 □ C-517).....	6	C-55□-02 (C-53□ □ C-4□8).....	30	C-□□5-01 (C-237, C-□□0-01, □AR-□□0, □ □AR-□20).....	41
C-484-03 (C-2□8-01 □ C-481).....	18	C-524-02 (C-237 □ C-517).....	42	C-55□-03 (C-53□-01 □ C-4□8).....	30	C-□□7 (C-307, C-□□0, □AR-□□0, □ □AR-□20).....	9
C-485-02 (C-335 □ C-481).....	22	C-525 (C-335 □ C-234-007).....	20	C-557-02 (C-53□ □ C-505).....	30	C-□□7-01 (C-307, C-□□0-01, □AR-□□0, □ □AR-□20).....	9
C-485-03 (C-335-01 □ C-481).....	22	C-525-01 (C-335-01 □ C-234-007).....	20	C-557-03 (C-53□-01 □ C-505).....	30	C-□□□ (C-2□1, C-□□0, □AR-□□0, □ □AR-□20).....	13
C-48□-02 (C-413 □ C-481).....	26	C-530-02 (C-307 □ C-52□).....	10	C-558-02 (C-53□ □ C-517).....	30	C-□□□-01 (C-2□1-01, C-□□0-01, □AR-□□0, □ □AR-□20).....	13
C-48□-03 (C-413-01 □ C-481).....	26	C-531-02 (C-2□1 □ C-52□).....	14	C-558-03 (C-53□-01 □ C-517).....	30	C-□□11 (C-2□8, C-□□0, □AR-□□0, □ □AR-□20).....	17
C-487-02 (C-274 □ C-481).....	6	C-531-03 (C-2□1-01 □ C-52□).....	14	C-55□-02 (C-53□ □ C-52□).....	30	C-□□11-01 (C-2□8-01, C-□□0-01, □AR-□□0, □ □AR-□20).....	17
C-488-02 (C-237 □ C-481).....	42	C-532-02 (C-2□8 □ C-52□).....	18	C-55□-03 (C-53□-01 □ C-52□).....	30	C-□□13 (C-253, C-□□0, □AR-□□0, □ □AR-□20).....	33
C-4□2 (C-237 □ □AR-□□5).....	40	C-532-03 (C-2□8-01 □ C-52□).....	18	C-5□2 (Fixed Position).....	47	C-□□13-01 (C-253-01, C-□□0-01, □AR-□□0, □ □AR-□20).....	33
C-4□2-01 (C-237 □ □AR-□□□).....	40	C-533-02 (C-335 □ C-52□).....	22	C-5□2-01 (Fixed Position).....	47	C-□□15 (C-2□8, C-□□0, □AR-□□0, □ □AR-□20).....	37
C-4□4-02 (C-307 □ C-4□8).....	10	C-533-03 (C-335-01 □ C-52□).....	22	C-5□3 (Fixed Position).....	47	C-□□15-01 (C-2□8-01, C-□□0-01, □AR-□□0, □ □AR-□20).....	37
C-4□5-02 (C-2□1 □ C-4□8).....	14	C-534-02 (C-413 □ C-52□).....	26	C-5□3-01 (Fixed Position).....	47	C-□□17 (C-335, C-□□0, □AR-□□0, □ □AR-□20).....	21
C-4□5-03 (C-2□1-01 □ C-4□8).....	14	C-534-03 (C-413-01 □ C-52□).....	26	C-5□4 (Fixed Position).....	47	C-□□17-01 (C-335-01, C-□□0-01, □AR-□□0, □ □AR-□20).....	21
C-4□□-02 (C-2□8 □ C-4□8).....	18	C-535-02 (C-274 □ C-52□).....	6	C-5□4-01 (Fixed Position).....	47	C-□□1□ (C-253, C-□□0, □AR-□□1, □ □AR-□20).....	33
C-4□□-03 (C-2□8-01 □ C-4□8).....	18	C-53□-02 (C-237 □ C-52□).....	42	C-5□5 (Fixed Position).....	47	C-□□1□-01 (C-253-01, C-□□0-01, □AR-□□1, □ □AR-□20).....	33
C-4□7-02 (C-335 □ C-4□8).....	22	C-53□ (Backplate)	28	C-5□5-01 (Fixed Position).....	47	C-□□20 (C-2□8, C-□□0, □AR-□□1, □ □AR-□20).....	37
C-4□7-03 (C-335-01 □ C-4□8).....	22	C-53□-01 (Backplate)	28	C-5□6 (Fixed Position).....	47	C-□□20-01 (C-2□8-01, C-□□0-01, □AR-□□1, □ □AR-□20).....	37
C-4□8-02 (C-413 □ C-4□8).....	26	C-540 (C-53□ □ C-234).....	28	C-5□7 (Fixed Position).....	47	C-□□21 (C-307, C-□□0, □AR-□□1, □ □AR-□20).....	9
C-4□8-03 (C-413-01 □ C-4□8).....	26	C-540-01 (C-53□-01 □ C-234).....	28	C-5□7-01 (Fixed Position).....	47	C-□□22 (C-2□1, C-□□0, □AR-□□1, □ □AR-□20).....	13
C-4□□-02 (C-274 □ C-4□8).....	6	C-541 (C-53□ □ C-238).....	28	C-573 (C-307 □ C-572).....	8	C-□□22-01 (C-2□1-01, C-□□0-01, □AR-□□1, □ □AR-□20).....	13
C-500-02 (C-237 □ C-4□8).....	42	C-541-01 (C-53□-01 □ C-238).....	28	C-574 (Backplate)	44	C-□□23 (C-2□8, C-□□0, □AR-□□1, □ □AR-□20).....	17
C-501 (C-47□ □ C-4□□).....	45	C-542 (C-53□ □ C-312).....	28	C-57□ (C-574 □ C-575).....	44	C-□□23-01 (C-2□8-01, C-□□0-01, □AR-□□1, □ □AR-□20).....	17
C-502 (C-480 □ C-4□□).....	45	C-542-01 (C-53□-01 □ C-312).....	28	C-577 (C-480 □ C-575).....	45	C-514 (C-480 □ □AR-□□5).....	45
C-503 (C-2□1 □ C-4□□).....	12	C-543 (C-53□ □ C-315).....	28	C-578 (Backplate)	46	C-514-01 (C-480 □ □AR-□□□).....	45
C-503-01 (C-2□1-01 □ C-4□□).....	12	C-543-01 (C-53□-01 □ C-315).....	28	C-57□ (C-578 □ C-234).....	46	C-518-02 (C-307 □ C-517).....	10
C-504 (C-480 □ C-344).....	45	C-544 (C-53□ □ C-332).....	28	C-581 (C-307-05 □ C-580).....	8		
C-50□ (C-307 □ C-505).....	10	C-544-01 (C-53□-01 □ C-332).....	28	C-582 (C-2□8 □ C-014).....	18		
C-50□-02 (C-307 □ C-505).....	10	C-545-02 (C-53□, C-3□□, □ □AR-087).....	30	C-582-01 (C-2□8-01 □ C-014-01).....	18		
C-507-02 (C-2□1 □ C-505).....	14	C-545-03 (C-53□-01, C-3□□, □ □AR-087).....	30	C-583 (C-578 □ C-315).....	46		
C-507-03 (C-2□1-01 □ C-505).....	14	C-54□ (C-53□ □ C-435).....	28	C-584 (C-578 □ C-014).....	46		
C-508-02 (C-2□8 □ C-505).....	18	C-54□-01 (C-53□-01 □ C-435).....	28	C-584-01 (C-578 □ C-014-01).....	46		
C-508-03 (C-2□8-01 □ C-505).....	18	C-54□-02 (C-53□ □ C-435).....	28	C-585 (C-578 □ C-238).....	46		
C-50□-02 (C-335 □ C-505).....	22	C-54□-03 (C-53□-01 □ C-435).....	28	C-58□ (C-578 □ C-27□).....	46		
C-50□-03 (C-335-01 □ C-505).....	22	C-547 (C-53□ □ C-458).....	28	C-587 (C-578 □ C-312).....	46		
C-510-02 (C-413 □ C-505).....	26	C-547-01 (C-53□-01 □ C-458).....	28	C-588 (C-578 □ C-332).....	46		
C-510-03 (C-413-01 □ C-505).....	26	C-548 (C-53□ □ C-27□).....	28	C-58□ (C-578 □ C-344).....	46		
C-511-02 (C-274 □ C-505).....	6	C-548-01 (C-53□-01 □ C-27□).....	28	C-5□□ (C-578 □ C-34□).....	46		
C-512-02 (C-237 □ C-505).....	42	C-54□ (C-53□ □ C-344).....	28	C-5□1 (C-578 □ C-40□).....	46		
C-513 (C-47□ □ □AR-□□5).....	45	C-54□-01 (C-53□-01 □ C-344).....	28	C-5□2 (C-578 □ C-458).....	46		
C-513-01 (C-47□ □ □AR-□□□).....	45	C-550 (C-53□ □ C-34□).....	28	C-5□3 (C-578 □ C-4□□).....	46		
C-514 (C-480 □ □AR-□□5).....	45	C-550-01 (C-53□-01 □ C-34□).....	28	C-5□4 (C-578 □ C-572).....	46		
C-514-01 (C-480 □ □AR-□□□).....	45	C-551 (C-53□ □ C-272).....	29				
		C-551-01 (C-53□-01 □ C-272-01).....	29				

C-024 (0AR-001, 0AR-020, C-335, 0 C-000).....	21	C-041 (C-201, C-000, 0AR-003, 0 0AR-020).....	13	C-000 (C-203 0 C-384).....	37	C-080 (C-253 0 0AR-005).....	32
C-024-01 (0AR-001, 0AR-020, C-335-01, 0 C-000-01).....	21	C-041-01 (C-201-01, C-000-01, 0AR-003, 0 0AR-020).....	13	C-000-01 (C-203-01 0 C-384).....	37	C-080-01 (C-253-01 0 0AR-000).....	32
C-025 (0AR-001, 0AR-020, C-274, 0 C-000).....	5	C-042 (C-274, C-000, 0AR-003, 0 0AR-020).....	5	C-001 (C-307 0 C-384).....	9	C-081 (C-203 0 0AR-005).....	36
C-025-01 (0AR-001, 0AR-020, C-274, 0 C-000-01).....	5	C-042-01 (C-274, C-000-01, 0AR-003, 0 0AR-020).....	5	C-001-01 (C-307 0 C-384).....	9	C-081-01 (C-203-01 0 0AR-000).....	36
C-020 (C-237, C-000, 0AR-001, 0 0AR-020).....	41	C-043 (C-307, C-000, 0AR-003, 0 0AR-020).....	9	C-002 (C-201 0 C-384).....	13	C-082 (C-307 0 0AR-005).....	8
C-020-01 (C-237, C-000-01, 0AR-001, 0 0AR-020).....	41	C-043-01 (C-307, C-000-01, 0AR-003, 0 0AR-020).....	9	C-002-01 (C-201-01 0 C-384).....	13	C-082-01 (C-307 0 0AR-000).....	8
C-027 (0AR-002, 0AR-020, C-000, 0 C-335).....	21	C-045 (C-203, C-000, 0AR-003, 0 0AR-020).....	17	C-003 (C-203 0 C-384).....	17	C-083 (C-201 0 0AR-005).....	12
C-027-01 (0AR-002, 0AR-020, C-335-01, 0 C-000-01).....	21	C-045-01 (C-203-01, C-000-01, 0AR-003, 0 0AR-020).....	17	C-003-01 (C-203-01 0 C-384).....	17	C-083-01 (C-201-01 0 0AR-000).....	12
C-027-02 (C-335, C-000, 0AR-002, 0 0AR-020).....	21	C-040 (C-335, C-000, 0AR-003, 0 0AR-020).....	21	C-004 (C-335 0 C-384).....	21	C-084 (C-203 0 0AR-005).....	16
C-027-03 (C-000-01, 0AR-002, 0AR-020, 0 C-335-01).....	21	C-040-01 (C-335-01, C-000-01, 0AR-003, 0 0AR-020).....	21	C-004-01 (C-335-01 0 C-384).....	21	C-084-01 (C-203-01 0 0AR-000).....	16
C-028 (C-274, C-000, 0AR-020, 0 0AR-002).....	5	C-047 (C-413, C-000, 0AR-003, 0 0AR-020).....	25	C-005 (C-274 0 C-384).....	5	C-085 (C-335 0 0AR-005).....	20
C-028-01 (C-274, C-000-01, 0AR-020, 0 0AR-002).....	5	C-047-01 (C-413-01, C-000-01, 0AR-003, 0 0AR-020).....	25	C-005-01 (C-274 0 C-384).....	5	C-085-01 (C-335-01 0 0AR-000).....	20
C-030 (C-253, C-000, 0AR-002, 0 0AR-020).....	33	C-048 (C-237, C-000, 0AR-003, 0 0AR-020).....	41	C-000-02 (C-237 0 C-384).....	41	C-080 (C-413 0 0AR-005).....	24
C-030-01 (C-253-01, C-000-01, 0AR-002, 0 0AR-020).....	33	C-048-01 (C-237, C-000-01, 0AR-003, 0 0AR-020).....	41	C-000-03 (C-237 0 C-384).....	41	C-080-01 (C-413-01 0 0AR-000).....	24
C-031 (C-203, C-000, 0AR-002, 0 0AR-020).....	37	C-040 (C-253, C-000, 0AR-003, 0 0AR-020).....	33	C-007 (C-413 0 C-050).....	25	C-087 (C-274 0 0AR-005).....	4
C-031-01 (C-203-01, C-000-01, 0AR-002, 0 0AR-020).....	37	C-040-01 (C-253-01, C-000-01, 0AR-003, 0 0AR-020).....	33	C-007-01 (C-413-01 0 C-050-01).....	25	C-087-01 (C-274 0 0AR-000).....	4
C-032 (C-307, C-000, 0AR-002, 0 0AR-020).....	9	C-051 (C-274 0 C-050).....	5	C-008 (C-413 0 C-384).....	25	C-080 (C-530, C-000, 0AR-000, 0 0AR-020).....	29
C-032-01 (C-307, C-000-01, 0AR-002, 0 0AR-020).....	9	C-051-01 (C-274 0 C-050-01).....	5	C-008-01 (C-413-01 0 C-384).....	25	C-080-01 (C-530-01, C-000-01, 0AR-000, 0 0AR-020).....	29
C-033 (C-201, C-000, 0AR-002, 0 0AR-020).....	13	C-051-02 (C-274 0 C-050).....	5	C-000 (C-530, C-000, 0AR-001, 0 0AR-020).....	29	C-000-01 (C-530-01, C-000-01, 0AR-001, 0 0AR-020).....	29
C-033-01 (C-201-01, C-000-01, 0AR-002, 0 0AR-020).....	13	C-051-03 (C-274 0 C-050-01).....	5	C-001 (C-530, C-000, 0AR-002, 0 0AR-020).....	29	C-001-01 (C-530-01, C-000-01, 0AR-002, 0 0AR-020).....	29
C-034 (C-203, C-000, 0AR-002, 0 0AR-020).....	17	C-052 (C-237 0 C-050).....	41	C-002 (C-530, C-000, 0AR-003, 0 0AR-020).....	29	C-002-01 (C-530-01, C-000-01, 0AR-003, 0 0AR-020).....	29
C-034-01 (C-203-01, C-000-01, 0AR-002, 0 0AR-020).....	17	C-052-01 (C-237 0 C-050-01).....	41	C-003 (C-530, C-000, 0AR-004, 0 0AR-020).....	29	C-003-01 (C-530-01, C-000-01, 0AR-004, 0 0AR-020).....	29
C-035 (C-237, C-000, 0AR-002, 0 0AR-020).....	41	C-052-02 (C-237 0 C-050).....	41	C-004 (C-530 0 C-384).....	29	C-004-01 (C-530-01 0 C-384).....	29
C-035-01 (C-237, C-000-01, 0AR-002, 0 0AR-020).....	41	C-052-03 (C-237 0 C-050-01).....	41	C-005 (C-530 0 C-050).....	29	C-005-01 (C-530-01 0 C-050-01).....	29
C-037 (C-413, C-000, 0AR-000, 0 0AR-020).....	25	C-053 (C-307 0 C-050).....	9	C-000 (C-530 0 0AR-005).....	28	C-000-01 (C-530-01 0 0AR-000).....	28
C-037-01 (C-413-01, C-000-01, 0AR-000, 0 0AR-020).....	25	C-053-01 (C-307 0 C-050-01).....	9	C-701 (C-578 0 C-705).....	46		
C-038 (C-413, C-000, 0AR-001, 0 0AR-020).....	25	C-053-02 (C-307 0 C-050).....	9	C-702 (C-578 0 C-700).....	46		
C-038-01 (C-413-01, C-000-01, 0AR-001, 0 0AR-020).....	25	C-053-03 (C-307 0 C-050-01).....	9	C-704 (C-335 0 C-703).....	20		
C-030 (C-413, C-000, 0AR-002, 0 0AR-020).....	25	C-054 (C-201 0 C-050).....	13	C-704-01 (C-335-01 0 C-703).....	20		
C-030-01 (C-413-01, C-000-01, 0AR-002, 0 0AR-020).....	25	C-054-01 (C-201-01 0 C-050-01).....	13	C-705 (C-307 0 C-700).....	8		
		C-054-02 (C-201 0 C-050).....	13	C-700 (C-201 0 C-014).....	14		
		C-054-03 (C-201-01 0 C-050-01).....	13	C-707 (Fixed Position).....	47		
		C-055 (C-203 0 C-050).....	17	C-770 (C-274, C-000, 0AR-007, 0 0AR-020).....	5		
		C-055-01 (C-203-01 0 C-050-01).....	17	C-770-01 (C-274, C-000-01, 0AR-007, 0 0AR-020).....	5		
		C-050 (C-253 0 C-050).....	33				
		C-050-01 (C-253-01 0 C-050-01).....	33				
		C-057 (C-203 0 C-050).....	37				
		C-057-01 (C-203-01 0 C-050-01).....	37				
		C-058 (C-335 0 C-050).....	21				
		C-058-01 (C-335-01 0 C-050-01).....	21				
		C-058-02 (C-335 0 C-050).....	21				
		C-058-03 (C-335-01 0 C-050-01).....	21				
		C-050 (C-253 0 C-384).....	33				
		C-050-01 (C-253-01 0 C-384).....	33				

Index

C-771 (C-307, C-000, □AR-007, □ □AR-020).....	9	C-704 (C-208 □ C-702).....	16
C-771-01 (C-307, C-000-01, □AR-007, □ □AR-020).....	9	C-704-01 (C-208-01 □ C-702).....	16
C-772 (C-201, C-000, □AR-007, □ □AR-020).....	13	C-700 (C-530 □ C-705).....	28
C-772-01 (C-201-01, C-000-01, □AR-007, □ □AR-020).....	13	C-700-01 (C-530-01 □ C-705).....	28
C-773 (C-208, C-000, □AR-007, □ □AR-020).....	17	C-707 (C-201, C-000, □AR-000, □ □AR-020).....	13
C-773-01 (C-208, C-000-01, □AR-007, □ □AR-020).....	17	C-707-01 (C-201-01, C-000-01, □AR-000, □ □AR-020).....	13
C-774 (C-335, C-000, □AR-007, □ □AR-020).....	21	C-708 (C-307-05 □ C-780).....	8
C-774-01 (C-335-01, C-000-01, □AR-007, □ □AR-020).....	21		
C-775 (C-413, C-000, □AR-007, □ □AR-020).....	25		
C-775-01 (C-413, C-000-01, □AR-007, □ □AR-020).....	25		
C-770 (C-530, C-000, □AR-007, □ □AR-020).....	29		
C-770-01 (C-530, C-000-01, □AR-007, □ □AR-020).....	29		
C-777 (C-253, C-000, □AR-007, □ □AR-020).....	33		
C-777-01 (C-253, C-000-01, □AR-007, □ □AR-020).....	33		
C-778 (C-203, C-000, □AR-007, □ □AR-020).....	37		
C-778-01 (C-203-01, C-000-01, □AR-007, □ □AR-020).....	37		
C-770 (C-237, C-000, □AR-007, □ □AR-020).....	41		
C-770-01 (C-237, C-000-01, □AR-007, □ □AR-020).....	41		
C-781 (C-307 □ C-780).....	8		
C-782 (C-274 □ C-780).....	4		
C-783 (C-253 □ C-780).....	32		
C-783-01 (C-253-01 □ C-780).....	32		
C-784 (C-201 □ C-780).....	12		
C-784-01 (C-201-01 □ C-780).....	12		
C-785 (C-237 □ C-780).....	40		
C-780 (C-203 □ C-780).....	36		
C-780-01 (C-203-01 □ C-780).....	36		
C-787 (C-208 □ C-780).....	16		
C-787-01 (C-208-01 □ C-780).....	16		
C-788 (C-335 □ C-780).....	20		
C-788-01 (C-335-01 □ C-780).....	20		
C-780 (C-413 □ C-780).....	24		
C-780-01 (C-413-01 □ C-780).....	24		
C-700 (C-530 □ C-780).....	28		
C-700-01 (C-530-01 □ C-780).....	28		
C-701 (C-307, C-000, □AR-008, □ □AR-020).....	9		
C-701-01 (C-307, C-000-01, □AR-008, □ □AR-020).....	9		
C-703 (C-307 □ C-702).....	8		

The TENN-TEX Plastics Advantage



BracketSOLUTIONS
for face frame cabinetry

WWW.BRACKETSOLUTIONS.COM

TENN-TEX
 **PLASTICS INC.**

1.800.TENN.TEX • 8011 National Service Road
Colfax, NC 27235 • WWW.TENNTEx.COM



December 2020



Made in the USA



A Marmon Group/Berkshire Hathaway Company